

100% Money Back
Guarantee

Vendor:IBM

Exam Code:000-221

Exam Name:AIX 7 Administration

Version:Demo

QUESTION 1

During a recent network outage, the failover to the secondary DNS server was taking too long. The administrator found the RES_RETRY and RES_TIMEOUT values needed to be updated. Where are these values updated?

- A. /etc/inetd.conf
- B. /etc/rc.net
- C. /etc/security/limits
- D. /etc/environment

Correct Answer: D

QUESTION 2

What is the purpose of using relative path names when creating a tar file?

- A. To allow the tar file to be used on Linux systems
- B. To ensure files are always extracted to a specific path
- C. To restore to a raw device name on the destination system
- D. To enable restored files to be extracted to any user-specified location

Correct Answer: D

QUESTION 3

Which command is used to determine the memory use of either a particular process or whole AIX system?

- A. netpmon
- B. vmstat
- C. svmon
- D. truss
- E. ps
- F. rmss

Correct Answer: C

QUESTION 4

Which command, when issued from the HMC command line, will attempt to launch a virtual terminal session on lpar1, running on the sys1 managed system?

- A. mkvterm-msys1 -p lpar1
- B. crvterm-ssysy -r lpar1
- C. startvt-h sys1 -l lpar1
- D. startx-vt sys1 -p lpar1

Correct Answer: A

QUESTION 5

Which system management tool could be used to deploy corrective service to multiple HMCs?

- A. Distributed Systems Manager
- B. Network Installation Manager
- C. IBM Systems Director
- D. Cluster Systems Manager

Correct Answer: C

QUESTION 6

What is the supported process to correct filesystem corruption which prevents a normal boot?

- A. Boot the system into a maintenance shell Access the volume group and start a shell before mounting the file systems Run fsck on the rootvg filesystems Exit shell Sync and reboot
- B. Boot the system into a maintenance shell Access the volume group and start a shell Run fsck on the rooWg filesystems Exit shell Sync and reboot
- C. Boot the system into a restricted shell Access the volume group and start a shell before mounting the file systems Run fsck on the rootvg filesystems Exit shell Sync and reboot
- D. Boot the system into a restricted shell Access the volume group and start a shell Run fsck on the rootvg filesystems Exit shell Sync and reboot

Correct Answer: A

QUESTION 7

An administrator needs to list/query the security attributes for the WPAR syswpar1. Which command will do this?

- A. lssecattr-W syswpar1

B. lssecconf-w syswpar1

C. lsattr-s syswpar1

D. lswpar-S syswpar1

Correct Answer: D

QUESTION 8

What is the name given to the default paging space partition created during AIX installation?

A. hd1

B. hd5

C. hd6

D. hd7

Correct Answer: B

QUESTION 9

A system administrator needs to create a new volume group (VG) which will contain 100 physical volumes. The physical volumes are 10GB in size. The company plans to increase from 100 to 150 physical volumes over a two year period. To ensure the VG can meet initial demand and grow without requiring changes at later date, what type of VG should be created?

A. Create VG as a Big volume group.

B. Create a volume group setting each physical partition size to 1024 MB.

C. Create VG as a Scalable volume group.

D. Create VG using the t-factor attribute

Correct Answer: C

QUESTION 10

Within the context of a script, what must be considered when using stopsrc to stop a running subsystem?

A. The command can only run in the foreground.

B. Return code will be zero, regardless of outcome.

C. Return code will be non-zero should the subsystem fail to stop.

D. The command will wait for the given subsystem to shutdown, before returning.

Correct Answer: B

QUESTION 11

Based on the following output, what must be done if loglv1 name is changed to db2loglv?

```
# lsvg -l dbvg
dbvg:
LV NAME   TYPE      JFS2LOG  LPS  PPS  PVS  LV STATE  MOUNT POINT
loglv1    jfs2log   1       2    2    2    closed/syncd  N/A
dblv01    jfs2      128     256  2    2    closed/syncd  /exportfs/db01
```

- A. Run the chfs command to update /exportfs/db01 logging logical volume to db2loglv.
- B. Run the logform command to update the log format of db2loglv.
- C. Run the chlv command to update dblv01 logging logical volume to db2loglv.
- D. Run the chvg command to update volume group default logging logical volume to db2loglv.

Correct Answer: C

QUESTION 12

What option will boot an LPAR directly from DVD media, without any user interaction required, when starting the LPAR from the Hardware Management Console (HMC)?

- A. Normal
- B. Diagnostic with default boot list
- C. System management services
- D. Open firmware OK prompt

Correct Answer: B

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average **99.9%** Success Rate


More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.