

**100% Money Back  
Guarantee**

**Vendor:** IBM

**Exam Code:** 000-318

**Exam Name:** IBM WebSphere Application Server  
Network Deployment V8.5 Core Administration

**Version:** Demo

**QUESTION: 1**

An application development team has developed a new version of an application that needs to be rolled out to a selected group of users for testing while the other users can continue to access the old version of the application. What configuration should the system administrator do in order to achieve this?

- A. Perform a rollout on an application edition.
- B. Perform a rollout on an application edition and establish routing policies.
- C. Install an application edition and establish routing policies.
- D. Activate concurrent application editions and establish routing policies.

**Answer: D****QUESTION: 2**

In a test environment, a system administrator has configured an external HTTP in the DMZ that is routing to a cluster of application servers. The administrator wants to achieve high results and performance when routing and prioritizing incoming requests to the back-end cluster. How can the system administrator achieve this task?

- A. Configure a cluster of external HTTP servers.
- B. Enable the prefer local option on the cluster members.
- C. Setup a Caching Proxy server between the external web server and the application server.
- D. Place an On Demand Router (ODR) between the external web servers and the application servers.

**Answer: D****QUESTION: 3**

After deploying a new application to a high load production system, a memory leak has been detected which causes OutOfMemory exceptions. After fixing this, a system administrator needs to gather JVM heap dumps and restart the server in case a memory leak is detected in the future. How should the system administrator handle this without writing a script? Create a health policy which will:

- A. send the SNMP trap to generate the heap dump and restart the server.
- B. put the server in maintenance mode, gather JVM heap dump and restart the server.

- C. take the server out of maintenance mode, gather JVM heap dump and restart the server.
- D. use the Job Manager to put server in maintenance mode, gather JVM heap dump and restart the server.

**Answer:** B

**QUESTION: 4**

A system administrator has created a dynamic cluster in a production environment. During the autonomic server start and stop operations, it was observed that the server is taking more time than normal and the administrator is always called for manual start/stop of the servers. What should the system administrator tune to avoid manual intervention?

- A. Health controller.
- B. Dynamic workload controller.
- C. Application placement controller.
- D. On-demand configuration manager.

**Answer:** C

**QUESTION: 5**

Which statement is accurate regarding business-level applications?

- A. A business-level application contains application binary files.
- B. Only WebSphere artifacts are contained in a business-level application.
- C. The business-level application function introduces new application programming interfaces (APIs).
- D. Make a Java EE application a business-level application and add it to another business-level application.

**Answer:** D

**QUESTION: 6**

A developer has just given the system administrator an EAR file that needs to be deployed to the application server. The developer tells the system administrator that the EAR requires a driver for the new XYZ database that has been tested. What additional steps must the system administrator take to ensure the EAR deploys successfully to the application server?

- A. Create a data source and JDBC provider for the new database.
- B. Create a data source and resource adapter for the new database.
- C. Create a resource adapter and JDBC provider for the new database.
- D. Create a resource adapter and JDBC reference for the new database.

**Answer:** A

**QUESTION: 7**

A system administrator has configured a clustered production WebSphere Application Server environment. The administrator is now tasked with deploying batch applications to the production environment and needs to run the batch jobs in parallel. Which of the following is a minimum requirement for the parallel job manager database configuration? One database:

- A. for the cell.
- B. per cluster.
- C. per grid endpoint.
- D. per application server.

**Answer:** A

**QUESTION: 8**

A system administrator needs to deploy an enterprise application to a WebSphere Application Server environment. Before starting the deployment process, the administrator uses the IBM Assembly and Deploy Tool (IADT) to inspect the EAR and notices that it is enhanced. Since enhanced EARs are not allowed in their runtime environment, the system administrator needs to unenhance the EAR. How can the system administrator successfully remove the enhancements?

- A. Use WebSphere Customization Toolbox (WCT) to unenhance the EAR.
- B. Disable the application scoped resources in the application deployment descriptor.
- C. Remove the META-INF/ibmconfig folder from the project before exporting the EAR.
- D. Make sure that Process embedded configurations is not selected when exporting the EAR.

**Answer:** C

**QUESTION: 9**

An enterprise application needs to be deployed into a production WebSphere Application Server environment. The EAR contains application scoped resources which will conflict with the resource definitions that already exist in the federated environment. How can the system administrator ensure that the enterprise application uses only the already existing resources?

- A. Change the scoping for the existing resources to the cell level.
- B. Check that the EAR file is not in the application server classpath.
- C. Verify that the classpath does not include the folder containing the application scoped resources.
- D. Make sure that Process embedded configuration is not selected during the deploy process.

**Answer: D****QUESTION: 10**

A system administrator is seeing data source naming exceptions during runtime and needs to check the JNDI name of the Java Transaction API (JTA) data source used within an Enterprise Java Beans (EJB) module. Which file should the administrator examine?

- A. web.xml
- B. persistence.xml
- C. ibm-web-bnd.xmi
- D. ibm-ejb-jar-bnd.xmi

**Answer: B****QUESTION: 11**

A system administrator has configured a clustered environment where session persistence is configured. While tuning the environment, the administrator enables verbose garbage collection. Now the administrator is seeing a high CPU usage for the servers in the cluster and begins seeing out-of-memory exceptions in the log files. How can the system administrator diagnose what is accumulating in the memory and causing the out-of-memory exceptions?

- A. Enable High Performance Extensible Logging (HPEL).
- B. Examine the verbose garbage collection statistics in the SystemOut.log files.

- C. Use the Garbage Collection and Memory Visualizer tool in the IBM Support Assistant.
- D. Disable verbose garbage collection and compare the before and after verbose garbage collection statistics.

**Answer:** C

**QUESTION:** 12

A system administrator needs to create a diagnostic trace for an application server which has a problem that occurs only infrequently. The desire is to limit the amount of space taken up by the trace output file but still ensure that the log includes the trace information recorded during the problem. What should the system administrator do to accomplish these goals?

- A. Limit the Maximum Number of Historical Files to one.
- B. Reduce the Maximum File Size to an amount just larger than the required trace log.
- C. Configure the trace output to use a memory buffer and do a manual dump when the problem occurs.
- D. Use the First Failure Data Capture (FFDC) feature to ensure the trace log is only capture on the first instance of the problem.

**Answer:** C

**QUESTION:** 13

A system administrator is asked to increase the logging level of an e-commerce application running on a production server to help developers troubleshoot a problem that is difficult to reproduce. The requester wants lengthy comprehensive logs to locate the root cause of the problem. The application is responsible for the online shopping experience of thousands of customers daily. The administrator is concerned about degrading performance of the application with the major shopping weekend approaching. How can the administrator address their performance concerns and satisfy the needs of the developers?

- A. Enable Cross Component Tracing.
- B. Enable the diagnostic trace service in-memory circular buffer.
- C. Enable High Performance Extensible Logging (HPEL) and disable the HPEL text log.
- D. Ask the developers to use the WebSphere Event Logging and redeploy the application.

**Answer: C**

**QUESTION: 14**

A system administrator has just deployed a couple of new applications in a test environment. The administrator now notices a number of out-of-memory exceptions in the various log files. The administrator suspects that one or more of the newly installed applications might contain a memory leak that is causing the out-of-memory exceptions. How can the system administrator further investigate the out-of-memory problems?

- A. Trigger a Javadump.
- B. Install and use the Monitoring and Diagnostic Tools for Java.
- C. Use the IBM Support Assistant Data Collector tool.
- D. Use the Tivoli Performance Viewer Advisor and examine the memory leak advice.

**Answer: B**

**QUESTION: 15**

A system administrator wishes to use Cross Component Trace (XCT) to follow the end-to-end flow requests in a cluster. The administrator enables log and trace correlation, but cross component trace appears to lack the necessary request IDs. What additional step needs to be taken by the system administrator to have Cross Component Trace function as expected?

- A. Enable the replication domain on the cluster.
- B. Enable High Performance Extensible Logging (HPEL).
- C. Add all cluster members to the same core group.
- D. Verify all components are part of the same service integration bus.

**Answer: B**

**QUESTION: 16**

A system administrator was asked by the development team to inform them of any warning message which contains a string "Connection" on a WebSphere Application Server with High Performance Extensible Logging (HPEL) enabled. What should system administrator do to continuously monitor logs for the required message?

To Read the **Whole Q&As**, please purchase the **Complete Version** from **Our website**.


# Trying our product !

- ★ **100% Guaranteed Success**
- ★ **100% Money Back Guarantee**
- ★ **365 Days Free Update**
- ★ **Instant Download** After Purchase
- ★ **24x7 Customer Support**
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



<b>One Year Free Update</b>  Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	<b>Money Back Guarantee</b>  To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	<b>Security &amp; Privacy</b>  We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.