

Exam : **000-771**

Title : IBM Tivoli Provisioning
Mgrw/Orchestration V3.1
Implement

Version : DEMO

1.Which executable is used for a Unix/Linux server to generate the appropriate SSH key for the IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator Server?

- A.keygen
- B.keyadd.sh
- C.ssh-keygen
- D.ssh-keyadd

Correct:C

2.The IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator server has been up and running for a long time and suddenly workflow deployments fail. The administrator suspects a down level version of MQ is installed. Which command verifies this?

- A.mqdsp
- B.mqver
- C.mqllevel
- D.amqvget

Correct:B

3.When creating a customer in the user interface which field is a required entry?

- A.The application name
- B.The name of the customer
- C.The name of the associated Logical Device Operation
- D.Assignment of the dedicated server for the customer

Correct:B

4.What is required to create a new user in the IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator V3.1 user interface?

- A.e-mail address
- B.superuser designation
- C.default access group
- D.a pre-existing system user account

Correct:C

5.How is the shared property interpreted for a resource allocation request in a virtual server template?

- A.The resource can be used by multiple virtual servers and is decremented on the host platform.
- B.The resource cannot be used by multiple virtual servers but is available to multiple host platforms.
- C.The resource can be used by multiple virtual servers and is not decremented on the host platform.
- D.The resource can be used by multiple host platforms and is only decremented on a single host platform.

Correct:C

6.Which log file contains information about starting IBM Tivoli Provisioning Manager?

- A.\$WAS_LOGS/start.log
- B.\$TIO_LOGS/tio_start.log
- C.\$WAS_HOME/logs/tcear.log
- D.\$TIO_HOME/logs/tio_start.log

Correct:B

7.Viewing Server Utilization statistics in the user interface requires which server variable to be defined?

- A.system.driver

- B.snmp.device.filter
- C.server-utilization
- D.cpu-utilization.device

Correct:D

8.What is the purpose of a Fibre Channel switch?

- A.It allows the allocation of storage to Clients.
- B.It recovers lost data in the event of a failure.
- C.It connects clusters to the storage area network (SAN) fabric.
- D.It allows the administrator to manage ports and connect storage subsystems to the storage area network (SAN) fabric.

Correct:D

9.An administrator successfully adds server XYZ to an application tier, but notices a previous attempt to add server ABC to the same application tier failed. Where can the administrator look to determine why the workflow failed for server ABC?

- A.\$TIO_LOGS/de/output.log
- B.\$WAS_HOME/logs/server1/Deployments.log
- C.In the Deployment Requests section of the user interface.
- D.The history for server ABC was overwritten when server XYZ was added to the application tier.

Correct:C

10.How are Data Center Model (DCM) objects imported?

- A.by using the XML import tool from the command line interface
- B.by invoking the XML.Import logical device operation from the Web interface
- C.by invoking the XML import tool from the Inventory view in the user interface
- D.It is not possible to import DCM objects after installation of the IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator.

Correct:A

11.Which two actions are required to allocate a virtual server from a host platform? (Choose two.)

- A.Create a virtual server template.
- B.Setup a virtual resource pool to group virtual servers.
- C.Associate the host platform server with a boot server.
- D.Define hardware resources on the host platform available to the virtual server.
- E.Mark the host platform as managed by IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator.

Correct:A D

12.What needs to be configured for IBM Tivoli Provisioning Manager (ITPM)/IBM Tivoli Intelligent Orchestrator (ITIO) reporting to work?

- A.Crystal Reports
- B.Tivoli Data Warehouse
- C.IBM DB2 Data Warehouse
- D.Functionality is preconfigured in ITPM/ITIO

Correct:D

13.How is a device driver associated with a boot server?

- A.It is not possible to associate a device driver to a boot server.
- B.The SetDeviceDriver logical device operation is invoked from the user interface.

- C.The device driver on the Workflows tab of the boot server in the user interface is specified.
- D.The device driver in the Add Boot Server dialog is specified when creating the boot server in the user interface.

Correct:C

14.Once all prerequisites are installed and when installing IBM Tivoli Provisioning Manager/ IBM Tivoli Intelligent Orchestrator V3.1 on Windows, which two installation parameters are required? (Choose two).

- A.DB2 instance owner
- B.LDAP server install location
- C.ITPM administrator user name
- D.LDAP administrator account information
- E.WebSphere Application Server administrator account information

Correct:A D

15.Which attribute of a subscription can users modify when the service is already provisioned?

- A.service application
- B.end time of the service
- C.start time of the service
- D.dedicated service servers

Correct:B

16.Which two statements are true for the user ID tioldap? (Choose two.)

- A.This account must be granted tree ownership.
- B.It is used by IBM WebSphere as the administrator account.
- C.It is used by WebSphere to connect to the IBM Tivoli Directory Server.
- D.It is used to log into the IBM Tivoli Provisioning Manager/Tivoli Intelligent Orchestrator Web console.
- E.It is used by the IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator server for system initiated actions.

Correct:A C

17.When adding a storage volume to a host server which three options are valid? (Choose three.)

- A.Storage Volume
- B.Storage Manager
- C.Storage Container
- D.Storage Subsystem
- E.Storage Area Network
- F.Storage Channel Adaptor

Correct:A B D

18.Where are the deployment engine log files located?

- A.\$TIO_LOGS/de
- B.\$TIO_LOGS/deploymentengine
- C.\$TIO_HOME/deploymentengine
- D.\$TIO_HOME/logs/deploymentengine

Correct:B

19.What is the default Distinguished Name (DN) for the IBM Tivoli Directory Server administrator?

- A.cn=root
- B.cn=tioldap

C.dn=tioldap

D.cn=tiadmin

Correct:A

20.Where are newly discovered servers found in the IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator V3.1 user interface?

A.Inventory-> Servers

B.Configuration-> Discovery-> Servers C.Inventory->

Discovered -> Discovered Servers D.Configuration->

Discovered -> Discovered Servers **Correct:C**

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.