

100% Money Back
Guarantee

Vendor:CheckPoint

Exam Code:156-915.80

Exam Name:Check Point Certified Security Expert
Update - R80.10

Version:Demo

QUESTION 1

What SmartEvent component creates events?

- A. Consolidation Policy
- B. Correlation Unit
- C. SmartEvent Policy
- D. SmartEvent GUI

Correct Answer: B

QUESTION 2

Your internal network is configured to be 10.1.1.0/24. This network is behind your perimeter R80 Gateway, which connects to your ISP provider. How do you configure the Gateway to allow this network to go out to the Internet?

- A. Use Hide NAT for network 10.1.1.0/24 behind the external IP address of your perimeter Gateway.
- B. Use Hide NAT for network 10.1.1.0/24 behind the internal interface of your perimeter Gateway.
- C. Use automatic Static NAT for network 10.1.1.0/24.
- D. Do nothing, as long as 10.1.1.0 network has the correct default Gateway.

Correct Answer: A

QUESTION 3

Fill in the blank. The user wants to replace a failed Windows-based firewall with a new server running GAI. For the most complete restore of an GAI configuration, he or she will use the command _____

Correct Answer: migrate_import

QUESTION 4

How many confidence levels are there for IPS?

- A. four
- B. two
- C. five
- D. three

Correct Answer: C

Reference: https://supportcenter.checkpoint.com/supportcenter/portal?eventSubmit_doGoviewsolutiondetails=&andSolutiOnid=sk116254

QUESTION 5

The WebUI offers several methods for downloading hotfixes via CPUSE except:

- A. Automatic
- B. Force override
- C. Manually
- D. Scheduled

Correct Answer: B

Reference: https://sc1.checkpoint.com/documents/R77/CP_R77_Gaia_AdminWebAdminGuide/html_frameset.htm?topic=documents/R77/CP_R77_Gaia_AdminWebAdminGuide/112109

QUESTION 6

What happen when IPS profile is set in Detect-Only Mode for troubleshooting?

- A. It will generate Geo-Protection traffic
- B. Automatically uploads debugging logs to Check Point Support Center
- C. It will not block malicious traffic
- D. Bypass licenses requirement for Geo-Protection control

Correct Answer: C

It is recommended to enable Detect-Only for Troubleshooting on the profile during the initial installation of IPS. This option overrides any protections that are set to Prevent so that they will not block any traffic. During this time you can analyze the alerts that IPS generates to see how IPS will handle network traffic, while avoiding any impact on the flow of traffic. Reference: https://sc1.checkpoint.com/documents/R76/CP_R76_IPS_AdminGuide/12750.htm

QUESTION 7

The SmartEvent R80 Web application for real-time event monitoring is called:

- A. SmartView Monitor
- B. SmartEventWeb
- C. There is no Web application for SmartEvent

D. SmartView

Correct Answer: A

Reference: https://sc1.checkpoint.com/documents/R80/CP_R80_LoggingAndMonitoring/html_frameset.htm?topic=documents/R80/CP_R80_LoggingAndMonitoring/120829

QUESTION 8

When using Monitored circuit VRRP, what is a priority delta?

- A. When an interface fails the priority changes to the priority delta
- B. When an interface fails the delta claims the priority
- C. When an interface fails the priority delta is subtracted from the priority
- D. When an interface fails the priority delta decides if the other interfaces takes over

Correct Answer: C

Reference: https://sc1.checkpoint.com/documents/R76/CP_R76_Gaia_WebAdmin/87911.htm

QUESTION 9

Due to high CPU workload on the Security Gateway, the security administrator decided to purchase a new multicore CPU to replace the existing single core CPU. After installation, is the administrator required to perform any additional tasks?

- A. Go to clish-Run cpstop | Run cpstart
- B. Go to clish-Run cpconfig | Configure CoreXL to make use of the additional Cores | Exit cpconfig |Reboot Security Gateway
- C. Administrator does not need to perform any task. Check Point will make use of the newly installed CPU and Cores.
- D. Go to clish-Run cpconfig | Configure CoreXL to make use of the additional Cores | Exit cpconfig |Reboot Security Gateway | Install Security Policy.

Correct Answer: B

QUESTION 10

Check Point Management (cpm) is the main management process in that it provides the architecture for a consolidated management console. CPM allows the GUI client and management server to communicate via web service using _____.

- A. TCP port 19009
- B. TCP Port 18190

C. TCP Port 18191

D. TCP Port 18209

Correct Answer: B

QUESTION 11

Select the correct statement about Secure Internal Communications (SIC) Certificates. SIC Certificates:

A. Are used for securing internal network communications between the SmartDashboard and the Security Management Server.

B. For R75 Security Gateways are created during the Security Management Server installation.

C. Decrease network security by securing administrative communication among the Security Management Servers and the Security Gateway.

D. Uniquely identify Check Point enabled machines; they have the same function as VPN Certificates.

Correct Answer: D

QUESTION 12

Your main internal network 10.10.10.0/24 allows all traffic to the Internet using Hide NAT. You also have a small network 10.10.20.0/24 behind the internal router. You want to configure the kernel to translate the source address only when network 10.10.20.0 tries to access the Internet for HTTP, SMTP, and FTP services. Which of the following configurations will allow this network to access the Internet?

A. Configure three Manual Static NAT rules for network 10.10.20.0/24, one for each service.

B. Configure Automatic Static NAT on network 10.10.20.0/24.

C. Configure one Manual Hide NAT rule for HTTP, FTP, and SMTP services for network 10.10.20.0/24.

D. Configure Automatic Hide NAT on network 10.10.20.0/24 and then edit the Service column in the NAT Rule Base on the automatic rule.

Correct Answer: C