

100% Money Back
Guarantee

Vendor:Oracle

Exam Code:1Z0-147

Exam Name:Oracle9i program with pl/sql

Version:Demo

QUESTION 1

Examine this package:

The product table has more than 1000 rows.

You execute the procedure PROC1 from SQL*Plus with the command:

```
EXECUTE pack_cur.PROC1;
```

You then execute the procedure PROC2 from SQL*Plus with the command EXECUTE pack_cur.PROC1;

What is the output in your session from the PROC2 procedure?

- A. ERROR at line 1:
- B. Row is : Row is: Row is:
- C. Row is: 1 Row is: 2 Row is: 3
- D. Row is: 4 Row is: 5 Row is: 6

Correct Answer: D

QUESTION 2

Examine this package: Which statement is true?

```
CREATE OR REPLACE PACKAGE discounts
IS
  g_id NUMBER := 7839;
  discount_rate NUMBER := 0.00;
  PROCEDURE display_price (p_price NUMBER);
END discounts;
/
CREATE OR REPLACE PACKAGE BODY discounts
IS
  PROCEDURE display_price (p_price NUMBER)
  IS
  BEGIN
    DBMS_OUTPUT.PUT_LINE('Discounted ' ||
      TO_CHAR(p_price+NVL(discount_rate, 1)));
  END display_price;
  BEGIN
    discount_rate := 0.10;
  END discounts;
/
```

- A. The value of DISCOUNT_RATE always remains 0.00 in a session.

- B. The value of DISCOUNT_RATE is set to 0.10 each time the package is invoked in a session.
- C. The value of DISCOUNT_RATE is set to 1.00 each time the procedure DISPLAY_PRICE is invoked.
- D. The value of DISCOUNT_RATE is set to 0.10 when the package is invoked for the first time in a session.

Correct Answer: D

QUESTION 3

Examine this code:

```
CREATE OR REPLACE FUNCTION gen_email_name
(p_first_name VARCHAR2, p_last_name VARCHAR2, p_id NUMBER)
RETURN VARCHAR2
IS
  v_email_name VARCHAR2(19);
BEGIN
  v_email_name := SUBSTR(p_first_name, 1, 1) ||
                 SUBSTR(p_last_name, 1, 7) ||
                 '@Oracle.com';
  UPDATE employees
  SET   email = v_email_name
  WHERE employee_id = p_id;
  RETURN v_email_name;
END;
```

You run this SELECT statement:

```
SELECT first_name, last_name,
       gen_email_name(first_name, last_name, 108) EMAIL
FROM employees;
```

What occurs?

- A. Employee 108 has his email name updated based on the return result of the function.
- B. The statement fails because functions called from SQL expressions cannot perform DML.
- C. The statement fails because the function does not contain code to end the transaction.
- D. The SQL statement executes successfully, because UPDATE and DELETE statements are ignored in stored functions called from SQL expressions.
- E. The SQL statement executes successfully and control is passed to the calling environment.

Correct Answer: B

QUESTION 4

Which type of argument passes a value from a procedure to the calling environment?

- A. VARCHAR2
- B. BOOLEAN
- C. OUT
- D. IN

Correct Answer: C

QUESTION 5

Which two does the INSTEAD OF clause in a trigger identify? (Choose two.)

- A. The view associated with the trigger.
- B. The table associated with the trigger.
- C. The event associated with the trigger.
- D. The package associated with the trigger.
- E. The statement level or for each row association to the trigger.

Correct Answer: AC

QUESTION 6

This statement fails when executed: CREATE OR REPLACE TRIGGER CALC_TEAM_AVG AFTER INSERT ON PLAYER BEGIN INSERT INTO PLAYER_BAT_STAT (PLAYER_ID, SEASON_YEAR, AT_BATS, HITS) VALUES (:NEW.ID, 1997, 0,0); END; To which type must you convert the trigger to correct the error?

- A. row
- B. statement
- C. ORACLE FORM trigger
- D. before

Correct Answer: A

QUESTION 7

Which two tables or views track object dependencies? (Choose two).

- A. USER_DEPENDENCIES
- B. USER_IDEPTREE

- C. IDEPTREE
- D. USER_DEPTREE
- E. USER_DEPENDS

Correct Answer: AC

QUESTION 8

Which two statements about functions are true? (Choose two.)

- A. A function must have a return statement in its body to execute successfully.
- B. Client-side functions can be used in SQL statements.
- C. A stored function that is called from a SQL statement can return a value of any PL/SQL variable data type.
- D. From SQL*Plus, a function can be executed by giving the command EXECUTE functionname; .
- E. A stored function increases efficiency of queries by performing functions on the server rather than in the application.

Correct Answer: AE

QUESTION 9

Which part of a database trigger determines the number of times the trigger body executes?

- A. trigger type
- B. trigger body
- C. trigger event
- D. trigger timing

Correct Answer: A

QUESTION 10

You create a DML trigger. For the timing information, which are valid with a DML trigger? (Choose all that apply.)

- A. DURING
- B. IN PLACE OF
- C. ON SHUTDOWN
- D. BEFORE
- E. ON STATEMENT EXECUTION

Correct Answer: D

QUESTION 11

Examine this code:

```
CREATE OR REPLACE PROCEDURE add_dept
  (p_name departments.department_name%TYPE DEFAULT 'unknown',
   p_loc  departments.location_id%TYPE DEFAULT 1700)
IS
BEGIN
  INSERT INTO departments(department_id, department_name,
    location_id)
  VALUES(dept_seq.NEXTVAL,p_name, p_loc);
END add_dept;
/
```

You created the add_dept procedure above, and you now invoke the procedure in SQL*Plus. Which four are valid invocations? (Choose four.)

- A. EXECUTE add_dept(p_loc=andgt;2500)
- B. EXECUTE add_dept(\\Education\\, 2500)
- C. EXECUTE add_dept(\\2500\\, p_loc =andgt;2500)
- D. EXECUTE add_dept(p_name=andgt;\\Education\\, 2500)
- E. EXECUTE add_dept(p_loc=andgt;2500, p_name=andgt;\\Education\\)

Correct Answer: ABCE

QUESTION 12

Examine this package: Which statement will successfully assign .333 to the V_PLAYER_AVG variable from a procedure outside the package?

```

CREATE OR REPLACE PACKAGE BB_PACK
IS
    V_MAX_TEAM_SALARY    NUMBER(12,2);
    PROCEDURE ADD_PLAYER(V_ID IN NUMBER, V_LAST_NAME VARCHAR2, V_SALARY NUMBER);
END BB_PACK;
/
CREATE OR REPLACE PACKAGE BODY BE_PACK
IS
V_PLAYER_AVG    NUMBER(4,3);
PROCEDURE UPD_PLAYER_STAT
(V_ID IN NUMBER, V_AB IN NUMBER DEFAULT 4, V_HITS IN NUMBER)
IS
BEGIN
    UPDATE PLAYER_BAT_STAT
    SET AT_BATS = AT_BATS + V_AB,
        HITS = HITS + V_HITS
    WHERE PLAYER_ID = V_ID;
    COMMIT;
    VALIDATE_PLAYER_STAT(V_ID);
END UPD_PLAYER_STAT;
PROCEDURE ADD_PLAYER
(V_ID IN NUMBER, V_LAST_NAME VARCHAR2, V_SALARY NUMBER)
IS
BEGIN
    INSERT INTO PLAYER(ID, LAST_NAME, SALARY)
    VALUES (V_ID, V_LAST_NAME, V_SALARY);
    UPD_PLAYER_STAT(V_ID, 0, 0);
END ADD_PLAYER;
END BE_PACK;
/

```

- A. V_PLAYER_AVG := .333;
- B. BB_PACK.UPD_PLAYER_STAT.V_PLAYER_AVG := .333;
- C. BB_PACK.V_PLAYER_AVG := .333;
- D. This variable cannot be assigned a value from outside of the package.

Correct Answer: D

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average **99.9%** Success Rate


More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.