

100% Money Back
Guarantee

Vendor:Oracle

Exam Code:1Z0-429

Exam Name:Oracle FS1 Series Systems
Implementation Essentials

Version:Demo

QUESTION 1

The storage administrator is creating a user account for a new user. This new user will not be allowed to perform system-wide operations. Identify the correct role for the new user.

- A. Primary Administrator
- B. Administrator3
- C. Administrator1
- D. Administrator2

Correct Answer: C

QUESTION 2

The storage administrator is ready to perform a system update. Which action should he complete before updating the FS1 system?

- A. open an SR
- B. disconnect the Pilot management ports
- C. SSH into the Pilot
- D. FTP the software to the Pilot

Correct Answer: B

QUESTION 3

Which three options are the purpose of the FS Portal accessed on the Pilot via a browser?

- A. configuring and managing the FS1 system
- B. downloading documentation and user manuals
- C. quick viewing of system status
- D. viewing multiple FS1 systems
- E. downloading tools and utilities such as the fscli and management software

Correct Answer: BCD

QUESTION 4

Which is the base operating system in FS1-2 Controller?

- A. Oracle Solaris 11.2
- B. Oracle Linux (OEL) 6.3
- C. Oracle Linux JeOS
- D. Oracle Solaris 10

Correct Answer: C

QUESTION 5

How can you create a new administrator account?

- A. To be able to access the Create Administrator Account dialog box, you must first select Administrator Accounts in the navigation bar under Global Settings. Then you have three options: Click the Actions drop-down menu and select Create or right-click on the context panel and select Create, or click CNTL n to open the dialog box.
- B. On the Global Settings tab, under Global Settings, select Create from the Actions drop-down menu to open the Create Administrator Account dialog box.
- C. On the System tab, under System, select Security from the Actions drop-down menu to open the Create Administrator Account dialog.
- D. On the Global Settings tab, under Global Settings select Security from the Actions drop-down menu to open the Create Administrator Account dialog.
- E. It is not possible to create a new administrator account. The FS system supports only one default administrator account, named administrator.

Correct Answer: D

QUESTION 6

What are the main Controller options for the FS1?

- A. High performance and high capacity version
- B. HPC and OLTP version
- C. Performance and Base version
- D. IB and FC host interconnect version
- E. OLTP and DSS version

Correct Answer: A

QUESTION 7

Identify which CLI command is used to access and run the PITman tool.

- A. the FSCLI topology command
- B. the FSCLI pilot command
- C. the FSCLI system command
- D. the FSCLI profile command

Correct Answer: B

QUESTION 8

The storage administrator is defining a custom storage profile for an application server. Which four parameters can the storage administrator modify?

- A. I/O Bias
- B. Priority
- C. Typical Access
- D. Redundancy
- E. Allocated Capacity
- F. Enable Clones.

Correct Answer: ABDF

QUESTION 9

Which role should be used to create volumes but not update the FS1 system?

- A. Administrator1
- B. Administrator2
- C. Support
- D. Primary Support

Correct Answer: A

QUESTION 10

The storage administrator realized that the SAN host is mapped to the wrong cluster LUNs. How can the storage administrator correct the LUN mappings?

- A. by moving the SAN host to the correct host group
- B. by manually updating each LUN mapping

- C. by associating the SAN host
- D. by installing the FS1 Path Manager

Correct Answer: D

QUESTION 11

Which three are functions of the Private Management Interconnections (PMI)?

- A. RAID controller failover path
- B. Cluster Heartbeat (HB) between pilots
- C. Cluster Heartbeat (HB) between controllers
- D. Pilot to controller communication
- E. Write cache mirror path

Correct Answer: ACD

QUESTION 12

How does FS1 maintain data availability in the storage controller?

- A. It uses battery to back up the cache, so that the data is available even during power failures.
- B. It mirrors data across controllers between DIMM and NVDIMM over SAS channel.
- C. It mirrors data across controllers between NVDIMM and NVDIMM over SAS channel.
- D. It mirrors data across controllers between DIMM and NVDIMM over Infiniband channel.
- E. It mirrors data across controllers between NVDIMM and NVDIMM over Infiniband channel.

Correct Answer: C

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average **99.9%** Success Rate

More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.