

Vendor:Oracle

Exam Code:1Z0-926

Exam Name:Oracle Cloud Platform Application

Development 2018 Associate

Version: Demo

QUESTION 1

Which three tasks can be defined in a declarative way in a post build in Oracle Developer Cloud Service? (Choose three.)

- A. Build other job
- B. Clear code review comments
- C. Publish Javadoc
- D. Archive Artifacts
- E. Obfuscate code

Correct Answer: ACD

Select and configure actions that you want the system to perform after the build completes. These actions include building other jobs, archiving artifacts, publishing javadoc. Reference: https://docs.oracle.com/en/cloud/paas/developer-cloud-classic/csdcc/manage-project-jobs-and-builds.html#GUID-FEE2F307-B838-4AF0-90A2-C1AA8586EA3B

QUESTION 2

In Oracle Application Container Cloud Service, what can you use to configure applications to be clustered so that they can communicate privately over internal network?

- A. cluster-config.json
- B. Ul/application console
- C. deployment.json
- D. manfest.json

Correct Answer: D

Explanation: Clustered Applications Reference: https://docs.oracle.com/en/cloud/paas/app-container-cloud/dvcjv/developing-oracle-application-container-cloud-service.pdf

QUESTION 3

You are creating an Oracle Visual Builder Cloud Service (VBCS) application that you intend to embed into an Oracle SaaS application.

Which security option should you choose when selecting the security options for the SaaS REST service you are using, in order to prevent the need to log-in twice?

- A. Basic Authentication
- B. No security

- C. Cloud Account
- D. This is not possible to achieve
- E. OAuth

Correct Answer: C

QUESTION 4

In Oracle Application Container Cloud Service, you deployed a worker application which you now want to expose using a public URL.

Which statement is true?

- A. Use the Deployment section in UI to un-check the worker application check box and restart the application.
- B. This is not possible in Oracle Application Container Cloud Service.
- C. Delete the worker application, remove the "type": "worker" entry in the manifest.json and redeploy the application.
- D. Remove the "type": "worker" entry in the manifest. json and redeploy the application.

Correct Answer: B

QUESTION 5

A service binding provides communication over a private overlay network within your identity domain between Oracle Application Container Cloud Service and the other Oracle Cloud service. In which metadata file/files can you configure Service Bindings?

- A. app.yml
- B. config.yml
- C. deployment.json
- D. manifest.json

Correct Answer: C

Reference: https://docs.oracle.com/en/cloud/paas/app-container-cloud/csjse/explore-application-deployments-page.html#GUID-5E4472B1-F5C6-4556-908C-D76C4C14FC60

QUESTION 6

Which source provides WebLogic Server log information for applications deployed on a Java Cloud Service instance?

- A. The log file indicated on the Diagnostics page of the WebLogic Server administration console
- B. The system logs of the compute node that hosts the WebLogic administration server

- C. The Activity page of the service web console
- D. The WebLogic Server logs extracted using the Java Cloud Service REST API

Correct Answer: D

QUESTION 7

What deployment methodology is used in Oracle Developer Cloud Service?

- A. Waterfall
- B. Agile
- C. Oracle Unified Method
- D. Rational Unified Process

Correct Answer: B

Reference: https://cloud.oracle.com/opc/paas/datasheets/developer-cloud-service-ds.pdf

QUESTION 8

PSM CLI is a command line utility for managing PaaS services on Oracle Cloud.

What is the command psm accs push used to accomplish?

- A. delete an application
- B. create or update an application
- C. scale out an application
- D. restart an application

Correct Answer: B

QUESTION 9

What three mandatory components do you need to create in an Oracle Visual Builder Cloud Service (VBCS) application to enable a web page that will show data from an external system? (Choose three.)

- A. Page Variables
- B. Business Object
- C. Process
- D. REST service

E. Web application flow and page

Correct Answer: BDE

QUESTION 10

Which three are included in the Oracle Application Development Cloud Platform services category? (Choose three.)

- A. Application Container Cloud
- B. Data Integration Platform Service
- C. SOA Cloud Service
- D. Java Cloud Service
- E. Process Cloud Service
- F. Developer Cloud Service

Correct Answer: ADF

Explanation: This specialization covers the following services: Oracle Java Cloud Service, Oracle Developer Cloud Service, Oracle Application Container Cloud Reference: http://www.oracle.com/partners/campaign/app-dev-spec-criteria-3123573.html

QUESTION 11

What does the command kubectl version return when run against Oracle Cloud Infrastructure Container Engine for Kubernetes (OKE)?

- A. It displays the OKE API Server version.
- B. It will display the version of kubectl tool.
- C. It will display the version of both kubectl tool as well as the version of OKE API Server.
- D. It will display 3 versions: kubectl tool version, Kubernetes API Server version, OKE Version.

Correct Answer: D

QUESTION 12

When creating Java Cloud Service (JCS) on Oracle Cloud Infrastructure (OCI), which of the following steps is NOT a pre-requisite?

- A. You must have an Object Service Bucket for JCS backup.
- B. Database Cloud Service (DBCS) instances should be exactly in the same AD and same subnet as the JCS instance.
- C. A Virtual Cloud Network is required.

D. IAM policies are required to allow PSM to access VCN.

Correct Answer: B

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.