

Vendor: VCE

**Exam Code:**220-010

**Exam Name:** VCE Vblock Systems Administration

Exam

Version: Demo

## **QUESTION 1**

Which management software is used to administer physical blade servers on VCE Vblock® Systems	Which	management soft	ware is used to	administer r	physical blade	servers on \	VCE Vblock® S	Systems'
---	-------	-----------------	-----------------	--------------	----------------	--------------	---------------	----------

- A. UCSM
- B. Unisphere
- C. DCNM
- D. vCenter

Correct Answer: B

# **QUESTION 2**

What is the set of configured disks used to safe guard data accessed by thin devices?

- A. storage pool
- B. server pool
- C. MAC address pool
- D. UUID pool

Correct Answer: D

# **QUESTION 3**

An existing customer wants to add external IP addresses to its management pool. Which element manager would you recommend?

- A. Data Center Network Manager
- B. Unisphere
- C. VCE VisionTM Intelligent Operations
- D. UCSM

Correct Answer: D

## **QUESTION 4**

You want to modify settings in the UCS.

To which IP address should you point your browser?

- A. the IP address of UCS fabric extender B
- B. the IP address of UCS fabric extender A
- C. the IP address of the Vblock® System management switch
- D. the IP address of the UCS Manager Cluster

Correct Answer: D

## **QUESTION 5**

You receive a high priority new VM request that requires the creation of redundant VMs with host redundancy.

Which vCenter task must be performed to satisfy this requirement?

- A. Configure host and VM monitoring.
- B. Configure a VM-Hosts affinity rule in vSphere DRS.
- C. Configure a custom VM monitoring rule in vSphere HA.
- D. Configure a VM-VM affinity rule in vSphere DRS.

Correct Answer: D

### **QUESTION 6**

Your company wants to change a new host firmware package in a service profile. What must you consider before completing this task?

- A. Host firmware packages do not have adapter settings.
- B. Host firmware packages can only be used in one service profile.
- C. Host firmware package settings can change network settings.
- D. Host firmware package changes might cause the blade to reboot.

Correct Answer: D

## **QUESTION 7**

What is the EMC-defined best practice for LUN ownership across storage processors on a Vblock® System 340?

A. Dedicate SP ownership; even numbered blade server LUNs are owned by SP A and odd numbered blade server LUNs are owned by SP B.

B. Dedicate SP ownership; odd numbered blade server LUNs are owned by SP A and even numbered blade server LUNs are owned by SP B.

- C. Alternate SP ownership; even numbered LUNs are owned by SP A and odd numbered LUNs are owned by SP B.
- D. Alternate SP ownership; odd numbered LUNs are owned by SP A and even numbered LUNs are owned by SP B.

Correct Answer: C

### **QUESTION 8**

You are making some changes in connectivity in your network layer and are concerned about the port licensing on your Fabric Interconnect.

If you disable a port, which statement is true?

- A. You must log into the Fabric Interconnect to de-authorize the license assigned to that port.
- B. You must edit the license file on the Fabric Interconnect to specify which license is now free.
- C. The licenses are dynamically added back to the license pool.
- D. You must force a license rescan on your UCS to recapture the license.

Correct Answer: C

#### **QUESTION 9**

A customer wants to take an existing VCE Vblock® System compliance policy and tailor it to their environment. Which element manager would you recommend?

- A. VCE VisionTM Intelligent Operations
- B. UCSM
- C. Unisphere
- D. vCenter

Correct Answer: A

### **QUESTION 10**

You attempt to activate a port on an MDS using the port-license acquire command and the switch returns the message "port activation license not available".

How would you determine if you have sufficient licenses?

- A. Run the show license command to display the available license information.
- B. Run the show run command to see the license configuration.
- C. Run the show port-resources module command to display the available port resources in a module.

D. Run the show port-license command to display the available port activation licenses.

Correct Answer: D

#### **QUESTION 11**

What are three methods to isolate tenants in a multi-tenant environment? (Choose three)

- A. Create separate server pools.
- B. Define Role Based Access Control.
- C. Create separate VLAN(s) for each tenant.
- D. Disable specific ports for insecure services.
- E. Separate zoning for storage units.

Correct Answer: BCE

### **QUESTION 12**

A test group no longer needs test resources allocated within the Vblock® System 340. You decommission the resources and delete their specific VLAN on the Nexus 5548 switch. What happens to the ports associated to that VLAN?

- A. The ports are up but suspended.
- B. The ports continue to forward traffic.
- C. The ports are shut down and no traffic flows.
- D. The system deletes all the VLAN-to-port mapping for that VLAN.

Correct Answer: C