

**100%** Money Back  
**Guarantee**

**Vendor:**Cisco

**Exam Code:**350-080

**Exam Name:**CCIE Data Center Written Exam

**Version:**Demo

### QUESTION 1

Which option is the benefit of Cisco ACE solution?

- A. minimum scalability for application delivery
- B. infrastructure simplification
- C. centralized management for all application teams
- D. completely isolated from network thus providing easy management

Correct Answer: B

Ref [http://www.cisco.com/c/en/us/products/collateral/interfaces-modules/ace-application-control-engine-module/prod\\_white\\_paper0900aecd80458698.html](http://www.cisco.com/c/en/us/products/collateral/interfaces-modules/ace-application-control-engine-module/prod_white_paper0900aecd80458698.html)

---

### QUESTION 2

Where is a typical request in the Cisco UCS XML API placed in the data management engine, and, after the request is confirmed, what is updated?

- A. The request is placed in the transactor queue in FIFO order and the management information tree is updated.
- B. The request is placed in the replicator and persistifier and the store is updated.
- C. The request is placed in the data management engine and the application gateway is updated.
- D. The request is placed in the buffer queue and the commit buffer queue is updated.

Correct Answer: A

---

### QUESTION 3

SNMPv3 authorizes management operations only by configured users and encrypts SNMP messages. Which authentication protocols does Cisco NX-OS Software use for SNMPv3? (Choose two.)

- A. NMAC-SHA-96 authentication protocol
- B. HMAC-MD5-96 authentication protocol
- C. Community String Match protocol
- D. NMAC-MD5-96 authentication protocol
- E. HMAC-SHA-96 authentication protocol

Correct Answer: BE

---

#### QUESTION 4

You plan to add a new VLAN to your updating service profile template. Assuming that the default maintenance policy is configured, which statement about applying this change is true?

- A. The change will be applied immediately once the blade is rebooted.
- B. The change will be deferred until the user acknowledges.
- C. The change will be applied immediately with no disruption to any bound service profiles.
- D. The change will generate an impact summary message.
- E. The change will require all bound service profiles to be unbound.

Correct Answer: C

---

#### QUESTION 5

The persistent storage service (PSS) is used by which function?

- A. storage of log files across reloads of the system
- B. storage of license files in the backplane EEPROM
- C. storage of the process-specific state for stateful process recovery
- D. storage of core dump files from crashed processes

Correct Answer: C

---

#### QUESTION 6

Which three functions are performed by the iSCSI login? (Choose three.)

- A. Enable a TCP connection for iSCSI use.
- B. Negotiate redundant path information between the target and the initiator.
- C. Negotiate the session's parameters.
- D. Mark the connection as belonging to an iSCSI session.
- E. Enable a UDP connection for iSCSI use.

Correct Answer: ACD

---

#### QUESTION 7

What is the appliance port used to connect to in a Cisco Unified Computing System?

- A. Fibre Channel storage
- B. UCS C-Series servers
- C. NFS storage
- D. UCS chassis
- E. Other fabric interconnect

Correct Answer: C

---

### QUESTION 8

A Cisco switch has this configuration for a port channel connecting to an ESXi using dual NICs and is intended for use with an N1Kv. Interface fastethernet 1/10 Switchport mode trunk Switchport trunk allowed vlan all Channel-group 10 mode on No shut Interface fastethernet 1/11 Switchport mode trunk Switchport trunk allowed vlan all Channel-group 10 mode on No shut Interface port-channel10 Switchport mode trunk Switchport allowed vlan all No shut Which Port Channel configuration must be used on the Nexus 1000v port-profile?

- A. MAC pinning
- B. Cisco Discovery Protocol pinning
- C. Mode On
- D. Mode Active
- E. No port channel configuration

Correct Answer: C

---

### QUESTION 9

Which three flow-control port states lead to enabled link flow control? (Choose three.)

- A. Receive port: Enabled, Transmit port: Enabled
- B. Receive port: Enabled, Transmit port: Desired
- C. Receive port: Enabled, Transmit port: Disabled
- D. Receive port: Disabled, Transmit port: Desired
- E. Receive port: Desired, Transmit port: Desired

Correct Answer: ABE

---

### QUESTION 10

Which command will allow you to display the configured QoS group and the ingress buffer allocated to each QoS

group?

- A. show interface priority-flow-control
- B. show interface queuing
- C. show queuing interface
- D. show policy-map system type queuing
- E. show policy-map interface ethernet type queuing

Correct Answer: C

---

### QUESTION 11

Overlay Transport Virtualization (OTV) join interface is used to source the OTV encapsulated traffic and send it to the Layer 3 domain of the data center network.

Which statements are true about OTV join interface? (Choose three.)

- A. Join interface is a Layer 3 entity, and with the Cisco NX-OS release 6.0, it can only be defined as a physical interface, physical subinterface, Layer 3 port channel, or Layer 3 port channel subinterface.
- B. A single join interface can be defined and associated with a given OTV overlay.
- C. Multiple overlays can also share the same join interface.
- D. Join interface can be a loopback interface.
- E. The join interface is a Layer 3 entity that can be defined as a physical interface but not as a logical one.

Correct Answer: ABC

---

### QUESTION 12

Select and Place:

Drag four actions from left that can be performed by the Server Configuration Utility for the Cisco UCS C-Series and drop them on the list on right.

Perform offline diagnostics.	Performed by SCU     
Add or remove vNICs and vHBAs.	
Install the latest operating system drivers	
Configure iSCSI boot parameters.	
Assisted operating system install.	
Update platform firmware.	

Correct Answer:

Drag four actions from left that can be performed by the Server Configuration Utility for the Cisco UCS C-Series and drop them on the list on right.

- 
- Add or remove vNICs and vHBAs.
- 
- 
- 
- Update platform firmware.

- Performed by SCU
- Perform offline diagnostics.
  - Configure iSCSI boot parameters.
  - Assisted operating system install.
  - Install the latest operating system drivers.

www.Pass4Lead.com

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

**100%** Guaranteed Success

**100%** Money Back Guarantee

**365** Days Free Update

**Instant Download** After Purchase

**24x7** Customer Support

Average **99.9%** Success Rate

More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.