

100% Money Back
Guarantee

Vendor:Cisco

Exam Code:648-244

Exam Name:Designing and Implementing Cisco
Unified Communications on Unified Computing Systems

Version:Demo

QUESTION 1

How many coresident applications can be hosted on a Cisco UCS C200 M2 server when using Cisco Unified Communications Manager Business Edition 6000?

- A. 3
- B. 4
- C. 5
- D. 6
- E. 8

Correct Answer: B

QUESTION 2

Which two statements describe the virtual machine SCSI definition in terms of configuration maximums in VMware vSphere ESXi 5.0? (Choose two.)

- A. 1 SCSI adapter
- B. 2 SCSI adapters
- C. 4 SCSI adapters
- D. 28 SCSI devices
- E. 32 SCSI devices
- F. 56 SCSI devices
- G. 60 SCSI devices
- H. 64 SCSI devices

Correct Answer: CG

QUESTION 3

When designing a Cisco Unified Communications Manager cluster, how many MOH Unicast streams are supported per server when streaming is colocated?

- A. 48

B. 128

C. 250

D. 256

E. 500

Correct Answer: E

QUESTION 4

When having issues reaching the KVM remotely, you may specify the KVM port number for the firewall administrator to open the port for you.

What is the default KVM port number?

A. 2002

B. 2057

C. 2068

D. 2086

E. 2417

Correct Answer: C

QUESTION 5

Which two make up the default username and password to access the Cisco Integrated Management Controller for the first time? (Choose two.)

A. admin

B. administrator

C. root

D. password

E. none (empty)

F. Cisco123

Correct Answer: AD

QUESTION 6

Which two statements are true about Cisco Unified Communications Manager Business Edition? (Choose two.)

- A. Cisco Unified Communications Manager Business Edition 3000 is installed on a UCS server.
- B. Cisco Unified Communications Manager Business Edition 5000 replaces the previous Cisco Unified Communications Manager Business Edition.
- C. Cisco Unified Communications Manager Business Edition 5000 can be virtualized.
- D. Cisco UCS C200 M2 for Cisco Unified Communications Manager Business Edition uses DAS with 4 disks and RAID 10.
- E. Cisco Unified Communications Manager Business Edition 6000 supports up to 50 locations.

Correct Answer: DE

QUESTION 7

How many cores does a Cisco UCS C210 M2 Tested Reference Configuration server offer for Cisco Unified Communications virtual machine placement?

- A. 2
- B. 4
- C. 6
- D. 8
- E. 12
- F. 20

Correct Answer: D

QUESTION 8

Which two vDisk options can be selected for the 20,000-user Cisco Unity Connection OVA template? (Choose two.)

- A. 2 * 146 GB
- B. 2 * 200 GB
- C. 2 * 256 GB

D. 2 * 300 GB

E. 2 * 450 GB

F. 2 * 500 GB

Correct Answer: DF

QUESTION 9

Select and Place:

Drag and drop the processors, memory, and storage to the correct Cisco B- or C-Series Tested Reference Configuration server.

Intel Xeon 5600	www.Pass4Lead.com	Cisco UCS C200 server
Intel Xeon 7500		
Intel Xeon E7-2800		
Intel Xeon E7-4800		
192-GB RAM		Cisco UCS C260 server
384-GB RAM		
512-GB RAM		
1-TB RAM		
1.2-TB Storage		Cisco UCS B440 server
2.4-TB Storage		
8-TB Storage		
16-TB Storage		

Correct Answer:

Drag and drop the processors, memory, and storage to the correct Cisco B- or C-Series Tested Reference Configuration server.

Intel Xeon 7500

384-GB RAM

1.2-TB Storage

Cisco UCS C200 server

8-TB Storage

192-GB RAM

Intel Xeon 5600

Cisco UCS C260 server

16-TB Storage

1-TB RAM

Intel Xeon E7-2800

Cisco UCS B440 server

2.4-TB Storage

512-GB RAM

Intel Xeon E7-4800

QUESTION 10

What is the maximum hard disk capacity that a Cisco UCS C210 M2 server supports?

- A. 1.2 TB
- B. 2.4 TB
- C. 8 TB
- D. 12 TB
- E. 16 TB

Correct Answer: E

QUESTION 11

Which one is covered by a Tested Reference Configuration server?

- A. configuration of SAN and NAS devices
- B. configuration settings for BIOS

C. DAS and RAID options

D. patch recommendation

Correct Answer: C

QUESTION 12

DRAG DROP

Select and Place:

Drag and drop the parameters specifying the Cisco UCS Virtual Interface Card 1280 NIC on the left to the right site. Not all parameters are used.

10 Gb/s	1
40 Gb/s	2
128 Dynamic Adapters	3
256 Dynamic Adapters	
Ethernet Hardware Failover	
Ethernet and Fibre Channel Hardware Failover	

Correct Answer:

Drag and drop the parameters specifying the Cisco UCS Virtual Interface Card 1280 NIC on the left to the right site. Not all parameters are used.

10 Gb/s	40 Gb/s
	256 Dynamic Adapters
128 Dynamic Adapters	Ethernet Hardware Failover
Ethernet and Fibre Channel Hardware Failover	

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average **99.9%** Success Rate

More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.