Exam : 650-665

Title : Cisco SP Video Wireline and

Cable Headend Design for

SE

Version: Demo

- 1. Which output formats are available from an IRD?
- A. baseband, ASI and MPEGoIP
- B. RF, SDI and optical
- C. QAM, optical, and analog
- D. RF, ASI, and MPEGoIP

Answer: A

- 2. What network management system can monitor and control video headend equipment.?
- A. ANA
- B. Cisco Works
- C. ROSA D.

**SNMP** 

Answer: C

- 3. What is the modulation format used in Digital Video Broadcast-S?
- A. QAM 256
- B. FDM C.

QPSK D.

FΜ

Answer: C

## **Trying our product!**

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

## **Need Help**

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.