

**100%** Money Back  
**Guarantee**

**Vendor:**Microsoft

**Exam Code:**70-333

**Exam Name:**Deploying Enterprise Voice with Skype  
for Business 2015

**Version:**Demo

### QUESTION 1

You are implementing the Enterprise Voice solution. You create the objects described as shown in the following table.

Object name	Object description
PSTN1	The PSTN usage record for international calls from the Montreal office
PSTN2	The PSTN usage record for international calls from the New York office
VR1	The voice route that uses the trunk in the Montreal office and is associated to PSTN1
VR2	The voice route that uses the trunk in the New York office and is associated to PSTN2
VP1	The voice policy for the Montreal office users
VP2	The voice policy for the New York office users

You need to recommend which action must be performed to meet the technical requirements for Enterprise Voice routing. What should you add?

- A. PSTN1 to VP1
- B. PSTN1 to VP2
- C. PSTN2 to VP1
- D. PSTN2 to VP2

Correct Answer: C

---

### QUESTION 2

Users in Copenhagen report frequent audio call issues.

You need to resolve the issues.

Which three actions should you perform? Each correct answer presents part of the solution.

- A. Create a new region link between the MPLS region and the Berlin region.
- B. Create and configure a new network region and assign only Copenhagen to this region.
- C. Create an inter-site policy which includes Copenhagen and Moscow and specify the existing BandwidthPolicyProfile "LOW".
- D. Create an inter-site policy which includes Copenhagen and Berlin and apply the existing BandwidthPolicyProfile

“LOW”.

E. Create and configure a new network region and assign Berlin and Copenhagen to this region.

Correct Answer: CDE

---

### QUESTION 3

You have a Skype for Business Server 2015 infrastructure.

You have one Enterprise Edition pool named pool1.contoso.com.

Enterprise Voice is enabled for all users.

You have a public switched telephone network (PSTN) gateway named mg1.contoso.com that does not support secure signaling. The Encryption support level of the global trunk configuration is set to Not Supported.

Setting	Value
SIP Transport Type	TLS
SIP UDP Local Port	5,060
SIP TCP Local Port	5,060
SIP TLS Local Port	5,067
Enable SIPS	Disable

You add a second PSTN gateway named mg2.contoso.com. The SIP General parameters for mg2.contoso.com are configured as shown in the following table.

On mg2.contoso.com, you generate and install a certificate from an internal certification authority (CA).

You need to ensure that Skype for Business Server 2015 can use both PSTN gateways to make calls on the PSTN.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

### Actions

From the Topology Builder, create a new PSTN gateway.

Create a new trunk configuration for mg2.contoso.com and set the Encryption support level to **Required**.

Publish the topology.

Add the trunk to the existing voice routes.

Create a new trunk configuration for mg2.contoso.com and set the Encryption support level to **Not Supported**.

Set the Encryption support level of the global trunk configuration to **Required**.

### Answer Area



Correct Answer:

### Actions

Create a new trunk configuration for mg2.contoso.com and set the Encryption support level to **Not Supported**.

Set the Encryption support level of the global trunk configuration to **Required**.

### Answer Area

From the Topology Builder, create a new PSTN gateway.



Create a new trunk configuration for mg2.contoso.com and set the Encryption support level to **Required**.



Add the trunk to the existing voice routes.



Publish the topology.

## QUESTION 4

You collect the following call statistics for users in Los Angeles:

Peak call concurrency is 25 percent.

Fifty percent of all placed calls are routed to the public switched telephone network (PSTN)

Thirty percent of all placed calls are internal calls to users in the other offices.

Twenty percent of all placed calls are conference calls.

The average bandwidth for peer-to-peer calls is 65 kilobits per second (Kbps).

The average bandwidth used for conference calls is 100 Kbps.

You need to allocate the minimum amount of bandwidth required on the wide area network (WAN) link for the planned

implementation of the voice gateway in the Los Angeles office.

All calls to the PSTN will be routed through the local voice gateway in the Los Angeles office.

How much bandwidth in megabits per second (Mbps) should you allocate?

- A. 7.20 Mbps
- B. 3.95 Mbps
- C. 10.00 Mbps
- D. 2.25 Mbps

Correct Answer: B

#### QUESTION 5

You have a Skype for Business Server 2015 infrastructure that contains two offices. The offices are located in Amsterdam and Seattle. The offices have the phone numbers ranges shown in the following table:

Office	Total phone number range
Amsterdam	+31 20 1234 5 00 to +31 20 1234 5 99
Amsterdam	+31 20 1234 7 00 to +31 20 1234 7 99
Seattle	+1 425 555 1200 to +1 425 555 1299

You plan to deploy Enterprise Voice.

You also plan to use a global dial plan that will use three-digit dialing.

You need to create the normalization rules for the planned deployment.

Which match patterns should you use? To answer, drag the appropriate match patterns to the correct translation patterns on the answer area. Each match pattern may be used once, more than once, or not at all. Additionally, you may need to

drag the split bar or scroll to view content.

Select and Place:

### Match Patternns

- 
- 
- 
- 
- 
- 

### Answer Area

Translation pattern	Match pattern
+31201234\$1	Match pattern
+14255551\$1	Match pattern

Correct Answer:

### Match Patternns

- 
- 
- 
- 

### Answer Area

Translation pattern	Match pattern
+31201234\$1	^([57]\d{2})\$
+14255551\$1	^(2\d{2})\$

### QUESTION 6

You deploy Skype for Business for a company that has three office locations. The locations and total number of users per location are shown below:

Office Location	Total number of users
Boston	2,000
Chicago	1,500
New York	4,000

You must deploy Enterprise Voice. You have the following requirements:

All New York and Boston users that have IP PBX phones must be able to call each other without using the public switched telephone network (PSTN).

Audio and video conferencing quality must be improved between the New York and Chicago offices.

You need to ensure that Enterprise Voice is deployed correctly.

How many of each component or server should you deploy? To answer, select the appropriate number for each component or server in the answer area.

Hot Area:

## Answer Area

Server or component	Number to add
Skype for Business Server 2015 Mediation Servers:	<input type="text" value="0"/> <input type="text" value="1"/> <input type="text" value="2"/> <input type="text" value="3"/> <input type="text" value="4"/>
PSTN Gateways:	<input type="text" value="0"/> <input type="text" value="1"/> <input type="text" value="2"/> <input type="text" value="3"/> <input type="text" value="4"/>
Skype for Business Server 2015 Trunks:	<input type="text" value="0"/> <input type="text" value="1"/> <input type="text" value="2"/> <input type="text" value="3"/> <input type="text" value="4"/>

Correct Answer:

## Answer Area

Server or component

Number to add

Skype for Business Server 2015 Mediation Servers:

	▼
0	
1	
2	
3	
4	

PSTN Gateways:

	▼
0	
1	
2	
3	
4	

Skype for Business Server 2015 Trunks:

	▼
0	
1	
2	
3	
4	

### QUESTION 7

You need replace the existing automatic call distribution (ACD) helpdesk with Skype for Business Server 2015 solution.

Which three actions should you perform in sequence to recreate the ACD in Skype for Business Server 2015? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:



### Possible Actions

- Restart the responsegroup service.
- Create an unmanaged workflow.
- Create and configure queue.
- Create and configure the agent group.
- Create a managed workflow.

### Actions to perform

- 
- 
- 
- 
- 

Correct Answer:

### Possible Actions

- Restart the responsegroup service.
- Create an unmanaged workflow.
- 
- 
- 

### Actions to perform

- Create and configure the agent group.
- Create and configure queue.
- Create a managed workflow.

References: <https://docs.microsoft.com/en-us/skypeforbusiness/plan-your-deployment/enterprise-voice-solution/response-group> <https://docs.microsoft.com/en-us/skypeforbusiness/deploy/deploy-enterprise-voice/deployment-process-for-response-group>

### QUESTION 8

You need to configure the unassigned numbers range to support the planned changes.

Which four actions should you perform? To answer, move the four appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Answer Area

Run the **Import-CsAnnouncementFile** Skype for Business Management Shell cmdlet.

Run the **New-CsAnnouncement** Skype for Business Management Shell cmdlet.

Create an .mp3 file that contains the announcement.

Create an unassigned number range.

Run the **Set-CsApplicationServer** Skype for Business Management Shell cmdlet.

Create a .wav file that contains the announcement.



Correct Answer:

### Actions

Create an .mp3 file that contains the announcement.

Run the **Set-CsApplicationServer** Skype for Business Management Shell cmdlet.

### Answer Area

Create a .wav file that contains the announcement.

Run the **Import-CsAnnouncementFile** Skype for Business Management Shell cmdlet.

Run the **New-CsAnnouncement** Skype for Business Management Shell cmdlet.

Create an unassigned number range.



### QUESTION 9

You need to configure the Enterprise Voice deployment for the Hong Kong site.

How should you configure the Hong Kong network link? To answer, select the appropriate codec and bandwidth in kilobits per second (Kbps) from the list in the answer area.

Hot Area:

## Answer area

Option

Action

Codec

	▼
RTAudio NarrowBand (8kHz)	
RTAudio WideBand (16kHz)	
Silk NarrowBand (8kHz)	
Silk WideBand (16kHz)	

Bandwidth

	▼
9270 Kbps	
11940 Kbps	
18540 Kbps	
9000 Kbps	

Correct Answer:

## Answer area

Option

Action

Codec

	▼
RTAudio NarrowBand (8kHz)	
RTAudio WideBand (16kHz)	
Silk NarrowBand (8kHz)	
Silk WideBand (16kHz)	

Bandwidth

	▼
9270 Kbps	
11940 Kbps	
18540 Kbps	
9000 Kbps	

### QUESTION 10

You are troubleshooting audio call issues for users in Copenhagen.

You need to resolve the issues.

Which three actions should you perform? Each correct answer presents part of the solution.

- A. Create and configure a new network region and assign Copenhagen to this region.
- B. Create an inter-site policy which includes Copenhagen and Berlin and apply the existing BandwidthPolicyProfile "LOW".
- C. Create an inter-site policy which includes Copenhagen and Moscow and specify the existing BandwidthPolicyProfile "LOW".
- D. Add Copenhagen to the Berlin network region.
- E. Create and configure a new network region and assign Berlin and Copenhagen to this region.

Correct Answer: BCE

---

#### QUESTION 11

You need to solve the Enterprise Voice issue experienced by Sydney users. Which normalization rule should you use for mobile numbers?

- A.  $^0[45]\((d8))\$$
- B.  $^0([45]d{6})\$$
- C.  $^0[45]d({8})\$$
- D.  $^0([45]d{8})\$$

Correct Answer: D

---

#### QUESTION 12

You need to implement the Mediation services solution. What should you do?

- A. Use a collocated Mediation server on the existing Front End Servers in Melbourne and Singapore.
- B. Deploy a new stand-alone Mediation server pool in Melbourne and Singapore.
- C. Deploy a dedicated Mediation server pool at each site.
- D. Deploy a Survivable Branch appliance at each site.

Correct Answer: A

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.