

Vendor: Avaya

Exam Code:7141X

Exam Name: Avaya Equinox Solution with Avaya Aura Collaboration Applications Integration Exam

Version: Demo

QUESTION 1

Which two functions are performed by the Session Border Controller for Enterprise (SBCE) when interacting with WebRTC clients from the Public Internet? (Choose two.)

- A. Convert WebRTC signaling into SIP Signaling and pass direct to Session Manager (SM)
- B. Convert the WebRTC media to traditional VOIP SIP media
- C. A configured TURN server relays WebRTC media from the web browser through to a Media Server
- D. A configured Reverse Proxy sends WebRTC signaling from the Web browser through to the Avaya Aura® Web Gateway (AAWG)
- E. Relay SIP messages sent from Web browser through to Session Manager (SM)

Correct Answer: CD

QUESTION 2

In which two ways can you deploy the Avaya EquinoxTM solution at a customer premise? (Choose two.)

- A. SIP Deployment Only
- B. Team Engagement Deployment
- C. Video-Only Deployment
- D. Over-The-Top Deployment
- E. Audio-Only Deployment

Correct Answer: BD

Correct / triower. I

QUESTION 3

An Avaya EquinoxTM Streaming and Recording (AESR) deployment can scale to a maximum of how many users?

- A. 100,000
- B. 16,000
- C. 10,000
- D. 5000

Correct Answer: A

QUESTION 4

Which two deployment models are available for Avaya EquinoxTM Solution? (Choose two.)
A. Turnkey only
B. Software only
C. On Windows
D. Over The Top
E. Team Engagement
Correct Answer: DE
QUESTION 5
The Avaya EquinoxTM Streaming and Recording (AESR) consists of which three components? (Choose three.)
A. Virtual Delivery Mode
B. Delivery Mode
C. Conference Point
D. Load balancer
E. Optimizer
Correct Answer: ABC
QUESTION 6
Which three functions are functions of the Equinox Management Server? (Choose three.)
A. SIP Proxy for Equinox Clients Registration
B. Auto-Configuration server for Equinox Clients
C. Resources and bandwidth management

Correct Answer: CDE

QUESTION 7

Which Avaya EquinoxTM solution component provides the Equinox Client with configuration data?

A. Avaya Aura® Session Manager

D. Video network device management

E. Equinox Solution Meeting management

- B. Avaya Aura® Web Gateway
- C. Avaya Aura® System Manager
- D. Avaya Aura® Device Services

Correct Answer: C

QUESTION 8

Which type of Licensing Mechanism is used by Avaya Multimedia Messaging (AMM)?

- A. A license activation code is directly typed into the AMM management console.
- B. AMM is pointed to the hat WebLM Server where the License file is installed
- C. A license is not required other than accepting the EULA
- D. AMM license file is installed locally on AMM Server on local WebLM server

Correct Answer: A

QUESTION 9

How does Avaya Multimedia Messaging communicate with Equinox clients?

- A. Using HTTPS via Session Manager
- B. Directly using HTTPS
- C. Directly using SIP Protocol
- D. Using SIP via Session Manager

Correct Answer: A

QUESTION 10

In which three ways can you configure an Equinox Client using AADS Automatic Configuration Method? (Choose three.)

- A. Manual Configuration
- B. Using the DHCP script
- C. Using an e-mail account
- D. Using a Web Address
- E. Using Desktop Script

Correct Answer: ACD

QUESTION 11

It is possible to download the same client configuration to an Avaya EquinoxTM client when it is connected via the Public Internet (3G/4G) or when it is connected via a corporate Wi-Fi hotspot.

What statement below described the recommended technique used to do this?

- A. The Avaya Aura® Device Services (AADS) returns the configured list of all Public and Private IP addresses that the client should attempt to connect to.
- B. The client must be statically provisioned with the ordered list of server IP addresses that it should attempt to connect to (both private and public).
- C. Split horizon DNS mapping is configured in Avaya Aura® Device Services (AADS) to return FQDNs rather than IP addresses; the client resolves the FQDN to correct server address by DNS or local hosts file.
- D. The client automatically selects a different Avaya Aura® Device Services (AADS) profile when connected to a Public Internet Service Provider (ISP) based on an IP address subnet mapping table downloaded by Avaya Aura® Device Services (AADS).

Correct Answer: C

QUESTION 12

If an Avaya EquinoxTM for Web client is used to access an Avaya EquinoxTM Conferencing Virtual Meeting Room from the public Internet, which three statements are correct? (Choose three.)

- A. The media is anchored on an Avaya EquinoxTM Conferencing Media Server via Session Border Controller for Enterprise (SBCE).
- B. The WebRTC media is anchored on the Avaya Aura Media Server (AAMS).
- C. A web browser is used to access the User Portal on the Avaya Aura® Web Gateway (AAWG) via the Session Border Controller for Enterprise (SBCE).
- D. SIP Signaling is sent from Avaya Aura® Web Gateway (AAWG) to the SIP B2BUA on Avaya EquinoxTM Management Server.
- E. SIP Signaling is sent from Avaya Aura® Web Gateway (AAWG) to Communication Manager (CM).

Correct Answer: CDE