# Money Back Guarantee

Vendor:Adobe

Exam Code: 9A0-127

Exam Name: Adobe ColdFusion 9 ACE Exam

Version:Demo

## **QUESTION 1**

You want to create an instance of the component Part, then access the property partID by using the following code:

Which component syntax should you use?

Α.

- B. component { var partID = 0; }
- C. component { local.partID = 0; }
- D. component { this.partID = 0; }

Correct Answer: D

## **QUESTION 2**

Ford

Given the following XML data:

1990 Red Toyota 1995 Blue

KIA

2000

#### Green

Which data type is returned from the following code?

A. XML

B. string

C. struct

D. array

Correct Answer: D

## **QUESTION 3**

When should you use the tag?

A. to consistently handle exceptions in the Application.cfc onError method

B. to throw a message into the JMS message queue for processing

- C. to write a diagnostic message to the error.log file
- D. to consistently handle all syntax errors throughout your application

Correct Answer: A

#### **QUESTION 4**

What is the required data type of the tag NESTED attribute?

- A. Boolean
- B. String
- C. Date/Time
- D. Numeric

Correct Answer: A

**QUESTION 5** 

Which tag action allows code between the starting and ending tags?

A. run B. terminate C. sleep D. join

Correct Answer: A

## **QUESTION 6**

The following code is placed in Application.cfc, outside of any function definitions:

What is the scope and visibility of the variable?

- A. Request scope; visible to all code executed during the current page request
- B. Application scope; visible to code in all pages of the application
- C. This scope; visible as public properties of the CFC
- D. Variables scope; visible only to code in Application.cfc

Correct Answer: D

#### **QUESTION 7**

You are using the tag to include one page of code into another page of code.

Where does ColdFusion look for the file if the value of the template attributes starts with a slash (/) character?

- A. in the hard disk volume root folder
- B. in a mapped directory
- C. in the web server\\'s document root folder
- D. in the folder containing the file with the currently executing code

Correct Answer: B

### **QUESTION 8**

What is the value of the variable output when the following code executes?

A. "The answer is one"

- B. "The answer is two"
- C. "The answer is three"
- D. "There is no answer"

Correct Answer: A

## **QUESTION 9**

Given the XML object definition:

Ford

1990

Red

Toyota

1995

Blue

KIA

2000

Green

Which variable correctly outputs the XML document representing the car with name value Ford?

- A. #toString(xmlData.cars.car[1])#
- B. #toString(xmlData.cars.car[0])#
- C. #toString(xmlData.car[1])#
- D. #toString(xmlData.cars[1])#

Correct Answer: A

## **QUESTION 10**

How can you restrict the number of rows returned from a stored procedure to 100 or fewer using ?

- A. add a MAXROWS="100" attribute to the tag
- B. add a BLOCKFACTOR="100" attribute to the tag
- C. add a MAXROWS="100" attribute to the tag
- D. add a MAXROWS="100" attribute to the tag

Correct Answer: D

#### **QUESTION 11**

Your application has a page that has very high traffic. The page is rendered from data in a database. Your application should only run a query if it has been longer than 60 seconds since its last execution.

Which attribute of the cfquery tag allows you to specify a time where a query should NOT be executed again?

- A. cachedAfter
- B. cachedBefore
- C. cachedWithin
- D. cachedFor

Correct Answer: C

## **QUESTION 12**

In your application you run the following query:

SELECT id, name, email FROM users;

Which query tag allows you to query the results of the getUsers query?

A.

В.

C.

D.

Correct Answer: B