

**100%** Money Back  
**Guarantee**

**Vendor:**Network Appliance

**Exam Code:**NS0-163

**Exam Name:**Network Appliance Data Protection  
Solutions

**Version:**Demo

### QUESTION 1

For a configuration change to be effective when using the OSSV configurator, the OSSV service must be restarted.

- A. True
- B. False

Correct Answer: A

---

### QUESTION 2

Fill in the blanks for the following statement:

The qtree specified for\_\_\_\_\_must not exist on the secondary system before you run the\_\_\_\_\_command.

- A. sec\_qtree\_path. snapvault start
- B. pri\_qtree\_path. snapvault start
- C. sec\_qtree\_path. snapvault enable
- D. pri\_qtree\_path. snapvault enable

Correct Answer: A

---

### QUESTION 3

When using a Protection Manager policy to manage Open Systems SnapVault backups on a UNIX server, which three are valid objects to include in the data set? (Choose three.)

- A. a file
- B. Aqtree
- C. A directory
- D. The entire client

Correct Answer: ACD

---

### QUESTION 4

What is the format for snapvault schedule?

- A. YYYY-MM-DD
- B. crontab format

C. cnt[@day\_Hst][@hour\_list]

D. List of dates in ISO Date format

Correct Answer: C

---

#### QUESTION 5

Which option of the snap restore command allows you to specify a different directory, as long as the directory already exists?

A. snap restore -r

B. snap restore -d

C. snap restore -s

D. snap restore -c

Correct Answer: A

---

#### QUESTION 6

What command would you enter to restore the /vol/flexvol0/etc/rc file from a snapshot to the /vol/flexvol0/ home directory?

A. snap restore -rvol /vol/flexvol0/home/rc /vol/flexvol0/etc/rc

B. snap restore -t /vol/flexvol0/home/rc /vol/flexvol0/etc/rc

C. snap restore -t file -r /vol/flexvol0/home/rc /vol/flexvol0/etc/rc

D. snap restore -s /vol/flexvol0/home/rc /vol/flexvol0/etc/rc

Correct Answer: C

---

#### QUESTION 7

When using MetroCluster, identify two methods for restricting access to the disaster site node. (Choose 2)

A. Use manual fencing

B. Turn off power to the disaster site node.

C. Use thecf forcetakeover-d command.

D. Use thecfgiveback-f command.

Correct Answer: AB

---

### QUESTION 8

Which two supported methods would you use to restore data from a SnapVault for Net Backup Volume?

- A. Use the Net Backup Administration Console
- B. Use drag-and-drop technologies
- C. Use thesnapvault restore Data ONTAP command
- D. Use theSnapRestore Data ONTAP service

Correct Answer: AB

---

### QUESTION 9

In a fabric-attached MetroCluster, a "site failure" is described as a \_\_\_\_\_.

- A. failure of the Inter-Switch-Links (ISL)
- B. failure of the interconnect cable
- C. complete failure of the primary controller and disk shelves
- D. malfunction of theFibre Channel adapter on the cluster node

Correct Answer: C

---

### QUESTION 10

Which two modes support using SnapMirror over multiple paths?

- A. Multiplexing
- B. Failover
- C. Giveback
- D. Standalone

Correct Answer: AB

---

### QUESTION 11

Which statement describes the results of the snapmirror resync command?

- A. Resynchronization finds the newest common snapshot shared by the two volumes orqtrees, and removes all newer information on the storage appliance on which the command is run.
- B. Resynchronization made. cause the loss of all data written to the destination after the original base snapshot was

C. Resynchronization. update the snapshot on the source filer.

D. Resynchronization. update the snapshot on the destination filer.

Correct Answer: A

---

#### **QUESTION 12**

For each Open Systems platform directory to be backed up to the SnapVault secondary storage system, you must execute \_\_\_\_\_ from the primary to secondary storage system.

A. a temporary copy

B. an incremental copy

C. a scheduled update copy

D. an initial baseline copy

Correct Answer: D