Vendor:IBM

Exam Code:C1000-004

Exam Name:IBM Curam SPM V7.X Application Developer

Version: Demo

QUESTION 1

Which entity customization is compliant?

A. Override a stereotyped operation.

B. Enable an exit point.

C. Add an attribute by using subclassing.

D. Add an attribute by using aggregation.

Correct Answer: B

QUESTION 2

You discover a possible bug in the out-of-the-box application.

A. Output from `build\\' configreport\\'.

B. Tech Notes for the release.

C. JMX statistics.

D. CADG output.

E. Custom code base.

F. Screen shots.

Correct Answer: ADF

QUESTION 3

Which two statements about the UIM generator are true? (Choose two.)

A. It is an editor for designing the layout of UIM pages.

B. It uses the ServerAccessBeans.xml file to create SERVER_INTERFACE elements.

C. It can be used to set the phase of a SERVER_INTERFACE.

D. It is run as part of build client.

E. It uses the build beandoc command to create SERVER_INTERFACE elements.

Correct Answer: BD

Reference: https://www.google.com/url? sa=tandrct=jandq=andesrc=sandsource=webandcd=2andved=2ahUKEwjazZDrkobnAhWsyYUKHTo3DBsQFjABegQIAh
ABandurl=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram% 2F6.0.5.1%2Fen%

2Fhtml%2FDevelopers%2FCuramWebClientReferenceManual%
2Fr_WEBCREF_Development1UimGeneratorTool1.htmlandusg=AOvVaw30A9F9skqTHfWfyBqhYAwh

---

QUESTION 4

You need to return the total number of people who are under 21 and not studying or in employment. Which operation is the most suitable to define for the Person Entity?

A. readmulti

B. nsreadmulti

C. nkreadmulti

D. ns.

Correct Answer: B

Reference: https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/
ServerModelling/r_SERMOD_Operations6NonstandardReadmultiGeneratedSql1.html

---

QUESTION 5

Which statement about developing pods IBM Cúram SPM is true?

A. UIM pages that display pods must include PodContainer.vim.

B. PodLoader classes call renders to generate HTML for each pod.

C. UIM pages source HTML from the PodContainerInterface to display the pods.

D. The PodContainerManager reads properties files to determine the pods to display for the page.

Correct Answer: A

Reference: https://www.google.com/url? sa=tandrct=jandq=andesrc=sandsource=webandcd=1andved=2ahUKEwjb2qS
FsIfnAhURLBoKHbmmBdEQFjAAegQIAh
ABandurl=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram% 2F6.0.4.0%2Fen%
2FDevelopers%2FCuramPodDevelopersGuide.pdfandusg=AOvVaw0w-gSsRuZoBUGDxZPZzaoS (14)

QUESTION 6

Which task is valid when developing REST APIs in IBM Cúram SPM

A. Run `build database\\' whenever you modify ResourcesConfig.xml.

B. Define operations of type in a class of type .

C. Document the structs and operations in ResourcesConfig.xml so that the documentation appears in Swagger UI.

D. Specify the mandatory fields in the model.

Correct Answer: D

Reference: https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/MSDK/msdk_t_add_mandatory_fields.html

---

QUESTION 7

For which two associations can you specify the shadow class types? (Choose two.)

A. Subclassing.

B. Assignable.

C. Foreign Key.

D. Index.

E. Aggregation.

Correct Answer: AB

QUESTION 8

Examine this UIM code snippet:

```
<LIST>
   <FIELD LABEL="List.Title.Type" WIDTH="15">
      <CONNECT>
         <SOURCE NAME="SI_DISPLAY" PROPERTY="type"/>
      <CONNECT>
      <LINK PAGE_ID="Sample_viewCase">
         <CONNECT>
            <SOURCE NAME="SI_DISPLAY" PROPERTY="caseID"/>
            <TARGET NAME="PAGE" PROPERTY="caseID"/>
         </CONNECT>
      </LINK>
   </FIELD>
   ...
</LIST>
```

Which two missing elements are required for this FIELD element to compile successfully? (Choose two.)

A. A PAGE_PARAMETER with NAME="caseID".

B. A server interface with PHASE="DISPLAY".

C. A server interface with PHASE="ACTION".

D. A server interface call that returns an attribute called `type\\'.

E. An ACTION_CONTROL of type ACTION.

Correct Answer: AE

QUESTION 9

You want to add a custom attribute to an out-of-the-box (OOTB) struct called CaseDetails. You create a custom struct called CustomCaseDetails. Both structs are shown in the diagram.



Which association should you model next?

A. CustomCaseDetails subclasses CaseDetails.

B. CustomCaseDetails aggregates CaseDetails.

C. CaseDetails is assigned to CustomCaseDetails.

D. CaseDetails aggregates CustomCaseDetails.

Correct Answer: C

QUESTION 10

Which two values are valid for the NAME attribute of a TARGET element? (Choose two.)

A. TEXT

B. A named SERVER_INTERFACE

C. PAGE

D. CONST

E. THIS

Correct Answer: BC

Reference: https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/WebClientReference/r_WEBCREF_Reference1Link1.html

---

QUESTION 11

StructA aggregates two structs, namely, StructB and StructC.

Which statement about the aggregation is correct?

A. No two structs in the aggregation can have attributes with the same name.

B. Unique role names must be specified for the aggregations.

C. Unique labels must be specified for the aggregations.

D. Other aggregations cannot include StructA, StructB, or StructC.

Correct Answer: D

QUESTION 12

Consider the following assignable relationship:



Which statement about the modeling is true?

A. You cannot assign an entity to a struct.

B. You cannot assign an entity to a struct that aggregates other structs.

C. You cannot assign an entity to a list struct.

D. There is nothing wrong with the modeling.

Correct Answer: D