

100% Money Back
Guarantee

Vendor:IBM

Exam Code:C2070-991

Exam Name:IBM FileNet P8 V5.2.1, Deployment
Professional

Version:Demo

QUESTION 1

The customer environment is highly available with two IBM FileNet Content Platform Engine (CPE) servers (node 1 and node 2) and Workplace XT. Both node 1 and node 2 are fronted by a hardware load balancer.

Which of the following steps BEST describes how to test the CPE's high availability?

- A. While nodes 1 and 2 are running, create a document via Workplace XT, verify document exists, shutdown node 1, check-out newly created document, bring node 1 back up, shutdown node 2, check-in the document with new content and bring node 2 back up.
- B. While node is running, create a document via Workplace XT, verify document exists, shutdown node 1, start node 2, check-out newly created document, bring node 1 back up, shutdown node 2, check-in the document with new content and bring node 2 back up.
- C. While nodes 1 and 2 are running, disable the hardware load balancer, create a document via Workplace XT, verify document exists, shutdown node 1, check-out newly created document, bring node 1 back up, shutdown node 2, check-in the document with new content and bring node 2 back up.
- D. While nodes 1 and 2 are running, create a document via Workplace XT, verify document exists, shutdown node 1, check-out newly created document, disable the hardware load balancer, bring node 1 back up, shutdown node 2, check-in the document with new content, bring node 2 back up and enable hardware load balancer.

Correct Answer: D

QUESTION 2

A customer is preparing to install and deploy IBM FileNet P8 Content Platform Engine (CPE) V5.2.1. Prior to the installation, which two of the following entities must already exist?

- A. IBM Case Foundation
- B. IBM CPE V5.2.1 Client
- C. J2EE application server
- D. Database for object stores
- E. IBM Content Search Services

Correct Answer: AC

QUESTION 3

A P8 administrator will be installing the IBM FileNet P8 Content Engine software onto multiple servers and would like to install it silently.

Which file and parameters will need to be updated?

- A. cpe_silent_install.txt.file, LICENSE_ACCEPTED, USER_INSTALL_DIR

- B. ce_silent_install.txt.file, CHOSEN_INSTALL_FEATURE_LIST, CCL_URL
- C. ce_silent_install.txt.file, JAVA_HOME, LICENSE_ACCEPTED, LAUNCH_CM
- D. cpe_silent_install.txt.file, USER_INSTALL_DIR, LAUNCH_CM, CCLWCM_URL

Correct Answer: B

QUESTION 4

A consultant for an aircraft engine manufacture is migrating their IBM Case Foundation system to a new set of hardware in order to handle an increased load in engineering drawings and their associated approval processes. Company policy does not allow the use of a graphical interface for application installations on their AIX servers.

When the installation completes, what file should the consultant check for errors?

- A. user_home/ce_install_log_5.2.1.txt
- B. os_temp_path/ce_install_log_5.2.1.txt
- C. ce_install_path/ce_install_log_5.2.1.txt
- D. os_temp_path/ce_logs/ce_install_log_5.2.1.txt

Correct Answer: B

QUESTION 5

A customer would like to improve overall response time and CPU utilization in their IBM FileNet P8 V5.2.1 system by changing their garbage collection policy.

What is the suggested garbage collection policy for any FileNet P8 JVM to accomplish this improvement?

- A. Balanced (balanced)
- B. Optimum throughput (optthruput)
- C. Generational Concurrent (gencon)
- D. Optimum Average Pause (optavgpause)

Correct Answer: C

QUESTION 6

An insurance company has offices worldwide and makes use of the content cache areas for frequently accessed document content. Recently, the encryption key for encrypted storage area at this insurance company was compromised and a new key needs to be created.

Which of the following is true for the original content in the content cache areas?

- A. If the original content is not encrypted, the cache copy of that content will now be encrypted.
- B. If the original content is encrypted, the cache copy of the existing content will now be re- encrypted.
- C. If the original content is not encrypted, then the cache copy of that content will be removed and re-encrypted.
- D. If the original content is encrypted, then it will be re-encrypted with the new encryption key. The cache copy of that content will also be re-encrypted with the new encryption key.

Correct Answer: C

QUESTION 7

An administrator is setting up a new Fixed Content Device to an Image Services (IS) server for FCS-IS.

During the setup and testing of the configuration, an extract of the error seen is:

SSI FNRCE0000E - ERROR

IS_SSI_8502: SSI_Base: g_logon error: called sec.logon() err=

Based on these messages, what would be the best next step for the administrator to troubleshoot this message?

- A. On the IS server run fn_msg with the error tuple.
- B. Ping the IS server from the FCM server to verify network connectivity.
- C. Check the user name defined in the IS datasource in the WebSphere Application Server.
- D. On the IS server run INX_tool>ce_info and verify that the FCM Domain and Object Store are listed.

Correct Answer: D

QUESTION 8

A consultant for a large grocery store chain needs to ensure that the IBM Case Foundation system to be installed has the ability to handle the variations in application loads as the daily activity changes across file zones. To accomplish this, a highly available and load balanced system using geographically dispersed clusters has been specified.

Which one of the following J2EE servers is supported in this configuration?

- A. RedHat WildFly
- B. Apache Geronimo
- C. Oracle GlassFish Server
- D. IBM WebSphere Application Server Network Deployment

Correct Answer: D

QUESTION 9

What step would the FileNet Content Manager administrator follow when stopping the IBM Content Search Services (CSS) index dispatcher in preparation to upgrade the Content Platform Engine?

- A. Logon to the Windows CSS server and stop the "CSS Server" service.
- B. Logon to the Windows Verity server and stop the "Verity K2 Administration Server" service.
- C. Logon to the Administration Console for Content Engine as a gcd_admin user, select the domain icon. In the edit pane, click the Text Search Subsystem tab and uncheck the Enable indexing check box.
- D. Logon to the Administration Console for Content Engine as an object store administrator, select the object stores configured for CBR, Under Data Design > Classes, select the CBR enabled classes and uncheck the "CBR Enabled" field.

Correct Answer: B

QUESTION 10

A large government agency has just implemented SSL on one their IBM FileNet Content Manger V5.2.1 systems.

What type of encryption is used when generating a shared secret key?

- A. In-place
- B. Hashing
- C. Symmetric
- D. Asymmetric

Correct Answer: C

QUESTION 11

A highly available IBM FileContent Manager V5.2.1 environment has just been installed by the administrators at a large company. A WebSphere Application Server Network Deployment (WAS-ND) Content Platform Engine (CPE) cluster containing four CPE JVMs has been setup. A hardware load balancer is being used to spread HTTP/HTTPS traffic across the CPE JVMs. Workplace XT has been configured to point to the CPE cluster. Assuming all four CPE JVMs are active, which two of the following are the BEST CHOICES for validating proper CPE responses through the load balancer? (Select two.)

- A. View the status context name (i.e. CPE ping page) of the load balancer. Continue to refresh this page in the browser until all four JVMs have been viewed. View the startup context name of each JVM and compare the results.
- B. Logon via Workplace XT. Begin performing CPE related work. Systematically shutdown and start the CPE JVMs so that no more than three and no fewer than two JVMs are active at any time. Continue testing in this manner for an hour.
- C. Shutdown three of the four CPE JVMs in the WAS-ND. Begin performing CPE related work. In between work steps, start one of the downed JVMs and stop the active one. Continue testing in this manner until all four JVMs have been

isolated in this manner.

D. Disable three of the four JVMs in the load balancer. Begin performing CPE related work. In between work steps, enable one of the downed JVMs and disable the active one. Continue testing in this manner until all four JVMs have been isolated in this manner.

Correct Answer: B

QUESTION 12

By default Content Search Services logs are stored in the \\IBM\Content Search Services\CSS Server\logs directory.

What file in this directory would you review for information, warning, and error messages that are logged during server activity?

- A. default*.log
- B. monitor*.csv
- C. adminAudit.csv
- D. p8_css_trace*.log

Correct Answer: B