Vendor: IBM

Exam Code: C2180-175

Exam Name: IBM WebSphere Lombardi Edition V7.2
Development (Entry)

Version: Demo

QUESTION NO: 1

What is the correct JavaScript syntax to initialize a local variable named contact of a complex type Contact?

A. contact = new Contact();
B. tw.local.contact = new Contact();
C. tw.local.contact = new tw.local.Contact();
D. tw.local.contact = new tw.object.Contact();

Answer: D
Explanation:

QUESTION NO: 2

The service "Get Request ID" needs to know the number of existing requests of a particular type in order to generate an ID for the request. It uses a nested service named "Get Request Count" for this purpose. What can be determined about data mapping?

A. The type of the request is an output variable of the 'Get Request ID' service.
B. The unique ID for the request is an input variable to the 'Get Request ID' service.
C. The number of existing requests of a particular type is an input variable to the 'Get Request Count' service.
D. The 'Get Request ID' service has a private variable that maps to the output from 'Get Request Count' service.

Answer: D
Explanation:

QUESTION NO: 3

An application has five pieces of data: creditScore, newHomeAddress, amountToBorrow, creditApproved, and appraisalPassed. The data is organized in a complex variable, loanApp. How should the developer reference the credit score?

A. tw.local.creditScore
B. tw.loanApp.creditScore
C. tw.local.loanApp.creditScore
D. tw.local.approveCredit.loanApp.creditScore

Answer: C

Explanation:

QUESTION NO: 4

A bank has a home loan process containing an 'Approve Credit' activity with a service attached with the same name. During the activity 'Approve Credit', a credit check is done and credit approval is based on the amount to be borrowed and the borrower's credit score. The loan application has five pieces of data: creditScore, newHomeAddress, amountToBorrow, creditApproved, and appraisalPassed. The data is organized in a complex variable, loanApp. What is the minimum output from the 'Approve Credit' service?

A. loanApp
B. creditApproved **C.**
appraisalPassed **D.**
amountToBorrow

Answer: B
Explanation:

QUESTION NO: 5

What is the default visibility property for all new controls?

A. Hidden **B.**
Editable **C.**
Disabled **D.**
Required

Answer: B
Explanation:

QUESTION NO: 6

A developer needs to build the Coach shown in the following Exhibit.

What is the minimum number of sections the developer needs to create in the Coach?

A. 1
B. 2
C. 3
D. 4

Answer: D
Explanation:

QUESTION NO: 7

For each section on a Coach, there is an HTML table generated in the background. How are table rows dynamically defined or allocated? Based on the:

A. number of sections on the Coach.
B. number of Controls added to each section.
C. entry specified on the customization property.
D. Table Override property in the Presentation category.

Answer: B
Explanation:

QUESTION NO: 8

A developer was asked to create a Coach based on the company's form for processing a new employee. For a copy of the company's form, refer to the Exhibit below.

Form #356

Personal Information

Name:
Street Address:
City: State: Zip:
Home Phone: Cell Phone:
ID Number: _ _ _ _ _

Emergency Contact

Name: Relationship:
Street Address:
City: State: Zip:
Home Phone: Cell Phone:

Employee Availability

Circle one:
  Full-time   Part-time 20 hrs/week   Part-time 10 hrs/week

Days	Start of Availability	End of Availability
Sunday		
Monday		
Tuesday		
Wednesday		
Thursday		
Friday		
Saturday		

Which simple primitive variable types should be used in this process?

A. idNumber (Integer), streetAddress (String), state (String), city (String) **B.** idNumber (Integer), streetAddress (Integer), state (String), city (String) **C.** idNumber (String), streetAddress (Address), state (Integer), city (String) **D.** idNumber (String), streetAddress (Address), state (String), city (String)

Answer: A
Explanation:

QUESTION NO: 9

An activity is defined as a conditional activity, and a script that returns a Boolean is written in the text box in the Condition tab. What will happen if the script returns true?

A. The activity will be skipped.

B. The activity will be performed.

C. The activity will be performed if it is added to tw.system.process.selectedConditionalActivities.

D. The activity will be skipped even if the activity is added to tw.system.process.selectedConditionalActivities.

Answer: B

Explanation:

QUESTION NO: 10

To add a custom Coach XSL transformation to artifacts in a process application, the XSL file should be added as:

A. a managed file.

B. a localization resource.

C. an installation service.

D. process application settings.

Answer: A

Explanation:

QUESTION NO: 11

A developer builds the Coach shown in the Exhibit.

On the developer's first test, it appears an entire section of the Coach is not working correctly.
What should the developer do to make the Coach work correctly?

A. Move the Submit button to the top section.
B. Add an additional Submit button to the top section.
C. Nest both sections inside another section containing the Submit button.
D. Nest both sections inside another section, and move the Submit button outside of all sections.

Answer: C
Explanation:

QUESTION NO: 12

A developer needs to obtain the system date in a JavaScript activity. What is a correct syntax?

A. var x = tw.local.Date();
B. var x = new tw.local.Date(); **C.**
var x = new tw.object.Date(); **D.**
var x = new tw.system.Date();

Answer: C
Explanation:

QUESTION NO: 13

Which category is used to define page-level presentation styles using Cascading Style Sheets (CSS)?

A. Section
B. Visibility
C. Presentation
D. Customization

Answer: D
Explanation:

QUESTION NO: 14

A developer is building a Coach where certain controls need to be filled in before the Coach can be submitted. To do this, the developer needs to set the visibility property of the controls to:

A. Hidden **B.**
Editable **C.**
Disabled **D.**
Required

Answer: D
Explanation:

QUESTION NO: 15

A developer binds a complex list variable to a table control by:

A. updating the table control ID to 'table0'.
B. updating the table control ID to match the variable name.
C. dragging the variable type from the library.
D. dragging the variable from the variable list of the palette to the Coach diagram.

Answer: D
Explanation:

QUESTION NO: 16

A developer is building a Coach where the user is allowed to save entered data, but bypass required field validation. To fulfill this requirement, the developer needs to add a button to the Coach that has:

A. a validation script.
B. a button ID ending in "_cancel".
C. the "is Cancel" property checked.
D. the "Create Flow" property checked.

Answer: C
Explanation:

QUESTION NO: 17

A developer built a human service containing a local variable holding a list of complex type values. The developer needs to build a coach containing a table which displays and manipulates these values. What is the most direct way the developer can do this?

A. 1. Drag the variable onto the Coach.
B. 1. Drag the variable onto the Coach.
2. Change the control type to 'Table'.
C. 1. Drag the variable onto the Coach.
2. Change the control type to 'Table'.
3. Bind the variable to the control.
D. 1. Drag the variable onto the Coach.
2. Change the control type to 'List'.
3. Bind the variable to the control.

Answer: A
Explanation:

QUESTION NO: 18

The document attachment control allows users to narrow documents by which criteria?

A. Upload Date
B. Process Name
C. Document Type
D. Document Properties

Answer: D
Explanation:

QUESTION NO: 19

Which connection type is used in the document viewer control to display content on a Coach from an external web server?

A. URL
B. Lombardi reports
C. Lombardi documents
D. IBM Content Integrator

Answer: A
Explanation:

QUESTION NO: 20

What category of the Coach properties allows for the definition of the number of columns?

A. Section
B. Visibility
C. Presentation
D. Customization

Answer: A

Explanation:

QUESTION NO: 21

A developer is creating a service that accepts a string and inserts it into a database. The service declares a string input variable. A Business Process Definition (BPD) can pass a variable to the string inside the service by using:

A. JavaScript code.
B. an environment variable.
C. an exposed process value.
D. the data mapping of the service.

Answer: D
Explanation:

QUESTION NO: 22

Which property of a Start Message Event can be modified?

A. Repeatable
B. Consume Message
C. Durable Subscription
D. Close Attached Activity

Answer: B
Explanation:

QUESTION NO: 23

A developer is creating the following Business Process Definition (BPD):

The developer is passing a complex variable offer to the Modify Offer activity. Which of the following data mappings ensures that if the value is changed inside the Modify Offer activity, it will be reflected in the parent BPD?

A.

▼ Input Mapping		▼ Output Mapping
	⇨ offer (Offer)	offer (Offer) ⇨

B.

▼ Input Mapping		▼ Output Mapping
tw.local.offer	⇨ offer (Offer)	offer (Offer) ⇨

C.

▼ Input Mapping		▼ Output Mapping
	⇨ offer (Offer)	offer (Offer) ⇨ tw.local.offer

D.

▼ Input Mapping		▼ Output Mapping
tw.local.offer	⇨ offer (Offer)	offer (Offer) ⇨ tw.local.offer

A. Exhibit A
B. Exhibit B
C. Exhibit C
D. Exhibit D

Answer: D
Explanation:

QUESTION NO: 24

A company has the process outlined in the Exhibit, and decided that 'Publish to The Web' only needs to occur for positions that are not possible to fill internally.

How does a developer accomplish this?

A. A conditional split to be used instead of the existing simple split.
B. A decision gateway to be used instead of the existing simple split.
C. A decision gateway to be added before the split, and use a conditional split instead of the existing simple split.
D. Add logic to the 'Publish Position To Web' to test if it is an external position.

Answer: A
Explanation:

QUESTION NO: 25

Which event is used if the developer needs an incoming message or event to kick off a process?

A. Timer Event
B. Start Ad-hoc Event
C. Start Message Event
D. Intermediate Message Event

Answer: C
Explanation:

QUESTION NO: 26

What is an indication that Gateway1 is a simple split gateway?

A. More than one token.
B. The label.
C. The single input line.
D. No outgoing default path.

Answer: D
Explanation:

QUESTION NO: 27

Refer to the exhibit.

The auto-map button will correctly map the declared variables of the Business Process Definition

(BPD) and the Service implementing the Activity, if the variables:

A. have the same name and the same scope.
B. are of the same data type and have the same name.
C. are of the same data type and have the same scope.
**D.** are of the same data type, have the same name, and have the same scope.

Answer: B
Explanation:

QUESTION NO: 28

Consider the following scenario.

- The service Create Offer uses the service Calculate Salary as a nested service.

- The following piece of code is written in Initialize Offer:
 ```
  tw.local.salary = new tw.object.Salary();
  tw.local.salary.base = 1000;
  tw.local.salary.tax = 75;
  tw.local.netSalary = 0;
  ```

- The following piece of code is written in a script inside Calculate Salary:
  ```
  tw.local.salary.base = 2000;
  tw.local.salary.tax = 50;
  tw.local.netSalary = 1950;
  ```

To ensure that the Finalize Offer receives the variables above, which data mapping should the developer implement for Calculate Salary?

tw.local.salary.base = 2000
tw.local.netSalary = 1950

## A.

**▾ Input Mapping**

| tw.local.salary | ⇒ salary (Salary) |
| tw.local.netSalary | ⇒ netSalary (String) |

**▾ Output Mapping**

| salary (Salary) ⇒ | tw.local.salary |
| netSalary (String) ⇒ | tw.local.netSalary |

## B.

**▾ Input Mapping**

| tw.local.salary | ⇒ salary (Salary) |
| tw.local.netSalary | ⇒ netSalary (String) |

**▾ Output Mapping**

| salary (Salary) ⇒ | |
| netSalary (String) ⇒ | |

## C.

**▾ Input Mapping**

| | ⇒ salary (Salary) |
| | ⇒ netSalary (String) |

**▾ Output Mapping**

| salary (Salary) ⇒ | tw.local.salary |
| netSalary (String) ⇒ | tw.local.netSalary |

## D.

**▾ Input Mapping**

| | ⇒ salary (Salary) |
| tw.local.netSalary | ⇒ netSalary (String) |

**▾ Output Mapping**

| salary (Salary) ⇒ | |
| netSalary (String) ⇒ | tw.local.netSalary |

**A.** Exhibit A
**B.** Exhibit B
**C.** Exhibit C
**D.** Exhibit D

**Answer: A**
**Explanation:**

# Trying our product !

★ **100%** Guaranteed Success

★ **100%** Money Back Guarantee

★ **365 Days** Free Update

★ **Instant Download** After Purchase

★ **24x7** Customer Support

★ Average **99.9%** Success Rate

★ More than **69,000** Satisfied Customers Worldwide

★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



**One Year Free Update**
Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.

**Money Back Guarantee**
To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.

**Security & Privacy**
We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.