

100% Money Back
Guarantee

Vendor:SAP

Exam Code:C_HANADEV_16

Exam Name:C_HANADEV_16 : SAP Certified
Development Associate - SAP HANA 2.0 SPS04

Version:Demo

QUESTION 1

What is the package descriptor package.json used for? There are 2 correct answers to this question.

- A. To list the package dependencies
- B. To set the router version
- C. To define the routes
- D. To define back-end destinations

Correct Answer: AB

QUESTION 2

Which of the following are characteristics of SAPUI5? Note; There are 3 correct answers to this question.

- A. Provides device-specific user experience
- B. Supports customer-specific theming
- C. Provides an extensibility concept
- D. Enables responsive application design
- E. Renders the UI on server side

Correct Answer: BCD

QUESTION 3

Which of the following are characteristics of an SAP HANA Deployment Infrastructure container? Note: There are 3 correct answers to this question.

- A. It is the same as a tenant database.
- B. It is logically similar to an SAP HANA schema.
- C. It contains table and view objects.
- D. It performs version management of runtime artifacts.
- E. It is created by a container-specific technical user.

Correct Answer: BCE

QUESTION 4

Why do you use associations in your persistence model for SAP HANA extended application services, advanced model (XS advanced)?

- A. To enforce database-level constraints
- B. To set relationships between multiple contexts
- C. To define multiplicity and key of an entity relation
- D. To define the relationships between contexts and views

Correct Answer: B

QUESTION 5

You configure an OData service for a transactional SAPUI5 application. What is the default data access behavior of the OData service?

- A. Read: Yes Create: No Update: Yes Delete: No
- B. Read: Yes Create: Yes Update: Yes Delete: No
- C. Read: Yes Create: No Update: No Delete: No
- D. Read: Yes Create: Yes Update: Yes Delete: Yes

Correct Answer: D

QUESTION 6

How do you debug a Node.js module in SAP Web IDE for SAP HANA?

- A. Start the debugger from the XS Command Line interface and run the program in SAP Web IDE for SAP U HANA
- B. Set the enabled parameter to true in the section debugger of the xsengine.ini file
- C. Attach the debugger to the application in the SAP Web IDE for SAP HANA
- D. Add the sap.hana.xs.debugger: :Debugger plugin to the SAP Web IDE for SAP HANA

Correct Answer: C

QUESTION 7

What do you use to set up unit testing for your SQL Script procedure? Please choose the correct answer.

- A. A library with language SQLSCRIPTTEST
- B. The SQL Script debugger
- C. SQL Script logging procedures

D. The SQL Script Code Analyzer

Correct Answer: A

QUESTION 8

Which tool can you use to perform an in-place upgrade of SAP HANA 2.0, express edition?

- A. SAP Software Download Center
- B. SAP Cloud Appliance Library
- C. Download Manager
- D. SAP HANA Lifecycle Management

Correct Answer: D

QUESTION 9

Which SAP HANA extended application services, advanced model (XS advanced) tools can you use to retrieve the URL for the SAP Web IDE for SAP HANA? Note: There are 2 correct answers to this question.

- A. advanced Command Line client tool
- B. XS advanced Controller Start Screen
- C. Organization and Space Management tool
- D. Runtime tool

Correct Answer: AB

QUESTION 10

What are the characteristics of the calculation view of type "SQL Access Only"? There are 2 correct answers to this question.

- A. Can be directly used for multidimensional analysis
- B. Can be directly accessed via SQL
- C. Can be directly exposed to all client tools
- D. Can be directly used as modeled data source for another view

Correct Answer: BD

QUESTION 11

What happens if you define a database object in the persistence model and deploy it using the SAP HANA Deployment Infrastructure (HDI)?

- A. The corresponding runtime object is created in the database module of the multi-target application during runtime.
- B. The corresponding runtime object is created in the HDI container on deployment.
- C. A descriptive representation of the object is created in HDI during runtime.
- D. The HDI container is created when the design-time object is saved.

Correct Answer: D

QUESTION 12

Which are the artifacts that are contained in an SAP HANA Deployment Infrastructure (HDI) container? Note: There are 2 correct answers to this question.

- A. JavaScript programs
- B. Data services
- C. SQLScript procedures
- D. Table definitions

Correct Answer: CD