

100% Money Back
Guarantee

Vendor:SAP

Exam Code:C_PAII10_35

Exam Name:C_PAII10_35 : SAP Certified Application Associate - SAP Predictive Analytics

Version:Demo

QUESTION 1

For formats are supported for the Date column: Note: There are 4 correct answers to this question.

- A. datetime (ISO format: yyyy-mm-dd hh:mm)which has an hour-precision.
- B. date (ISO format: yyyy-mm-dd) which has a day-precision.
- C. Number(number, for example "seconds")
- D. Java Runtime Environment installed on the client machine to connect to the server.

Correct Answer: ABCD

QUESTION 2

In the large majority of cases, a first degree polynomial is sufficient for generation of a relevant and robust model. Using a higher degree of polynomial does not always guarantee better results than those obtained with a first degree polynomial. In addition, the higher the degree of polynomial you select:

Note: There are 3 correct answers to this question.

- A. The more time needed to generate the corresponding model
- B. The more time needed to apply the model to new datasets
- C. The harder it is to interpret the results of modeling
- D. The server pass phrase (optional)

Correct Answer: ABC

QUESTION 3

How are missing values handled in Automated Analytics? Note: There are 1 correct answers to this question.

- A. They are automatically ignored.
- B. They are assigned to a category.
- C. They are automatically filled.
- D. They are considered as outliers.

Correct Answer: B

QUESTION 4

There are several interesting things to note about normal profit: Note: There are 3 correct answers to this question.

- A. The normal profit of category is independent of the target values themselves will not change
- B. A consequence of 1 is that this metric is resistant to outliers: when there are a few
- C. occurrences of the target with very high values with respect to the rest of the target value distributions, the notion of normal profit is not impacted.
- D. To test the latest version of the application without impacting the current production environment.
- E. The weighted sum of the normal profit for all categories of a given variables will always be 0.

Correct Answer: ABD

QUESTION 5

The panel Deviation Analysis Debriefing allows you to follow the analysis process thanks to a progression bar. At the end of the process, a debriefing panel is displayed. For details on the debriefing panel, see the topic on Understanding the Deviation Analysis. You can use the toolbar provided on the upper part of the panel to:

Note: There are 3 correct answers to this question.

- A. stop the analysis process, by clicking the button,
- B. display the text log detailing the process, by clicking the button,
- C. copy, print or save the debriefing panel .
- D. On a test environment, the software may be installed as a standard application.

Correct Answer: ABC

QUESTION 6

You can then generate models, capable of either explaining and predicting a phenomenon, or describing a dataset, in both cases, as a function of the previously defined target variable. This phase is called the training phase. Once the models have been generated, you can view and interpret their relevance and robustness using: Note: There are 2 correct answers to this question.

- A. Performance indicators: the predictive power, which is the quality indicator, and the prediction confidence, which is the robustness indicator.
- B. A variety of plots, including the profit curve plot.
- C. knows how to set up ODBC drivers on Windows systems
- D. has administration rights on the machine,

Correct Answer: AB

QUESTION 7

A table of data is a dataset presented in the form of a two-dimensional table. In this table: Note: There are 3 correct answers to this question.

A. Each row represents an observation to be processed, such as "American individual" in the sample file Census01.csv

B. Each column represents a variable that describes observations, such as the "age" or the "gender" of individual Americans.

C. Each cell, the intersection of a column and a row, represents the value of the variable in the column, for the observation in that row

D. Both of these ports must be accessible from the client machine. For example, network firewalls should allow communication on these ports between client machine and the servers.

Correct Answer: ABC

QUESTION 8

The term model carries many different meanings depending on its field of application. In data mining, a model describes and explains the relationships that exist between input data (one or more target variables) allows one to predict and explain phenomena, or to describe them. To quote George E.P. Box, "All Models Are Wrong But Some Are Useful" from "Robustness is the Strategy of Scientific Model Building" in Robustness in Statistics. Eds., R.L. Launer and G.N. Wilkinson, 1979, Academic Press. A model that has satisfactory performance is one that possesses both:

Note: There are 2 correct answers to this question.

A. High explanatory power, that is, sufficient capacity to explain the target variable. This explanatory power is indicated by the predictive power of the model.

B. High robustness, that is, sufficient capacity to repeat the same performance on new datasets containing observations of a similar nature to the training dataset. This explanatory power is indicated by the prediction confidence .

C. Both of these ports must be accessible from the client machine. For example, network firewalls should allow communication on these ports between client machine and the servers.

Correct Answer: AB

QUESTION 9

Depending upon your profile and your area of expertise, you may be more familiar with one of the following terms to refer to target variables: Note: There are 3 correct answers to this question.

A. Variables to be explained,

B. Dependent variables,

C. Output variables.

D. User activity monitoring and logging is possible and activated by default.

Correct Answer: ABC

QUESTION 10

The structure for a continuous variable is defined by several intervals each made of : Note: There are 4 correct answers to this question.

- A. a lower bound ([]) that can be either open or closed,
- B. a minimum value (Minimum)
- C. a maximum value (Minimum)
- D. With standalone installers on each targeted client system
- E. a higher bound ([]) that can be either open or closed.

Correct Answer: ABCE

QUESTION 11

You can change the order of the nodes to accelerate the filtering process by setting the conditions with the highest probability to be false at the top of the list.

Note: There are 2 correct answers to this question.

- A. Select the node you want to move up or down.
- B. Use the buttons and to change its position in the filter.
- C. If you have already installed SAP Predictive Analytics on your machine, uninstall it before installing SAP Predictive Analytics.

Correct Answer: AB

QUESTION 12

The option Analyze Deviations is a tool that provides you with a diagnostic of the data statistical variation. This option can be used for several purposes:

Note: There are 3 correct answers to this question.

- A. to compare the distribution of a new dataset with the distribution of the dataset used to train the model,
- B. to check the quality of new data after loading them,
- C. to check if your data have evolved over time and thus if the model need to be adapted to the new data.
- D. The Root entries are used for tracing the activity of the server which can later be used for debugging purposes.

Correct Answer: ABC

