

**100%** Money Back  
**Guarantee**

**Vendor:**SAP

**Exam Code:**C\_TAW12\_750

**Exam Name:**SAP Certified Development Associate -  
ABAP with SAP NetWeaver 7.50

**Version:**Demo

**QUESTION 1**

Which SELECT statement will always bypass the SAP table buffers?

- A. SELECT ... ENDSELECT.
- B. SELECT ... SINGLE ...
- C. SELECT ... INTO TABLE ...
- D. SELECT ... FOR UPDATE ...

Correct Answer: D

---

**QUESTION 2**

What is the effect of the collect statement if any entry with the same key already exists?

- A. Appends a new line
- B. adds the numeric fields to an existing entry
- C. Creates a new entry

Correct Answer: B

---

**QUESTION 3**

What is the default screen that is generated for a selection screen?

- A. 100
- B. 1000
- C. 1001
- D. 1100

Correct Answer: B

---

**QUESTION 4**

The Scope Parameter for your lock object function module has been set to 2, what does this imply? (More than one answer is correct)

- A. You must release the locks programmatically

- B. Locks generated in the dialog program are passed on to the update program
- C. An update termination error holds the locks
- D. The locks are automatically released when the updates complete

Correct Answer: BD

---

#### QUESTION 5

What is true about functional areas and User groups in ABAP Query? (More than one answer is correct)

- A. The queries of a user group belong only to the person that created the query
- B. The user can access only designated queries in a given user group
- C. Users belonging to the same authorization group have the same query privilege
- D. A Functional area can be assigned to several user groups
- E. Several Functional areas can be assigned to one user group

Correct Answer: CDE

---

#### QUESTION 6

An internal table is filled with the data below. What is the contents of header line the first time the sum statement is executed?

Carrier	Connection	Seats
AA	FFF	10
AA	FFF	20
DL	FFF	30

```
report ztest.
```

```
...
```

```
Data: begin of itab_structure,  
      carrier    like sflight-carrid,  
      connection like sflight-connid,  
      seats      like sflight-seatsmax,  
end of itab_structure.
```

```
Data: itab type standard table of itab_structure  
with header line.
```

```
loop at itab.  
  at new carrier.  
    sum.  
  endat.  
endloop.
```

A. AFFFF10

B. \*\*\*\*\*30

C. AFFFF30

D. AA\*\*\*30

Correct Answer: D

---

#### QUESTION 7

After which statement will the runtime system initialize the ABAP memory?

A. CALL TRANSACTION

B. LEAVE TO TRANSACTION

C. SUBMIT...AND RETURN

D. SUBMIT

Correct Answer: B

---

#### QUESTION 8

Which of the following methods require higher Maintenance when new releases of SAP are installed?

- A. Enhancements to the SAP Standard
- B. Append Structures
- C. Customizing
- D. Modifications to the SAP Standard

Correct Answer: D

---

#### **QUESTION 9**

When should you use a hashed internal table? (Choose two.)

- A. When accessing mainly single records
- B. When accessing by secondary key
- C. When accessing using the left-justified part of the key
- D. When accessing always by primary key
- E. When accessing by index

Correct Answer: AD

---

#### **QUESTION 10**

Which does not provide synchronous processing?

- A. an update-sk function module triggered with COMMIT WORK AND WAIT
- B. an update-sk function module triggered with COMMIT WORK
- C. Batch Input Programs
- D. PERFORM... ON COMMIT

Correct Answer: B

---

#### **QUESTION 11**

A commit work is issued in a transaction that employs asynchronous updating, what takes place. (More than one answer is correct)

- A. SAP LUW is concluded
- B. User is notified of updates

C. Update requests are processed

D. Database commit is triggered

Correct Answer: ACD

---

## QUESTION 12

You have been asked to review the following expression, which processes character strings:

```
result = find( val = 'abapABAP'
```

```
sub = 'A'
```

```
occ = 2
```

```
case = 'X'.....).
```

What is the expected value of result?

A. 1

B. 2

C. 4 D. 6

Correct Answer: D