

100% Money Back
Guarantee

Vendor:EMC

Exam Code:DES-1121

Exam Name:Specialist - Implementation Engineer
PowerMax and VMAX Family Solutions Version 1.0

Version:Demo

QUESTION 1

When using TimeFinder SnapVX, why would a redirection-write be changed to a copy-on- write?

- A. Snapshot delta has used 80% of the SRP
- B. Prevent a new write from being demoted to a lower tier
- C. Back-end utilization exceeds 80%
- D. Improve wear rates on flash disks

Correct Answer: A

QUESTION 2

A VMAX3 array has been configured with two Storage Resource Pools (SRP) Source volumes are assigned to SRP_1 and target volumes are assigned to SRP_2. A TimeFinder SnapVX snapshot of the source volumes is linked to the target volumes in the default mode

What will happen when there are new host writes to the source volumes?

- A. Snapshot deltas will be stored in the Reserved Capacity of SRP_1
- B. Snapshot deltas will be stored in SRP__2
- C. Snapshot deltas will be stored in the Reserved Capacity of SRP_2
- D. Snapshot deltas will be stored in SRP_1

Correct Answer: D

QUESTION 3

In PowerMax VMAX All Flash and VMAX3 which thin provisioning component can be changed with SYMCLI or Unisphere?

- A. Storage Resource Pool
- B. Disk Group
- C. Storage Group
- D. Virtual Provisioning Pool

Correct Answer: A

QUESTION 4

Which PowerMax software packages include Non-Disruptive Migration?

- A. FX and Pro
- B. Essentials and Pro
- C. F and FX
- D. F and Essentials

Correct Answer: A

QUESTION 5

What does a service level define*?

- A. Expected average throughput for a Storage Group
- B. Expected average response time target for a Storage Group
- C. Expected average response time target for a disk group
- D. Expected average throughput for a disk group

Correct Answer: B

QUESTION 6

How does Unisphere 360 differ from Unisphere for PowerMax?

- A. Unisphere for PowerMax is the management console for PowerMax and VMAX Family arrays Unisphere 360 provides centralized monitoring for DMX, VMAX Family, and PowerMax arrays
- B. Unisphere for PowerMax provides both GUI and SYMCLI access to PowerMax and VMAX arrays Unisphere 360 provides only GUI access to PowerMax and VMAX arrays.
- C. Unisphere for PowerMax provides centralized monitoring for DMX, VMAX Family, and PowerMax arrays Unisphere 360 is the management console for PowerMax and VMAX Family arrays
- D. Unisphere for PowerMax provides only GUI access to PowerMax and VMAX arrays. Unisphere 360 provides both GUI and SYMCLI access to PowerMax and VMAX arrays.

Correct Answer: C

QUESTION 7

Which VMAX All Flash software package includes Non-Disruptive Migration?

- A. FX
- B. Essentials

C. Pro

D. AppSync Starter

Correct Answer: D

QUESTION 8

What would the RDF device and Link states be after an SRDF Update operation?

A. R1=WD Link=RW. R2=RW

B. R1=RW Link=NR. R2=RW

C. R1=WD Link=NR R2=RW

D. R1=RW Link=RW; R2=WD

Correct Answer: D

QUESTION 9

What are the main options used to complete a configuration change using the synconfigure command?

A. preview, prepare, commit

B. preview, prepare, reserve

C. preview query, reserve

D. preview query, commit

Correct Answer: A

QUESTION 10

An array has reached its capacity in the Storage Resource Pool (SRP). What is the function of the SRP Reserved Capacity?

A. Accommodate new host writes

B. Accommodate SRDF/A delta sets

C. Provide space for snapshot deltas

D. Provide space for snapshot copies

Correct Answer: B

QUESTION 11

A systems administrator no longer needs the remote replica of a local device. Which step can be performed first in order to perform the deletepair function?

- A. Suspend the SRDF link
- B. Split the SRDF link
- C. Change the type of the group to "regular"
- D. Change the pair state to "NR"

Correct Answer: A

QUESTION 12

A systems administrator has decommissioned a host with two devices allocated to it. What must the administrator do prior to deleting the devices?

- A. Remove the device attribute
- B. Unmap from the front-end ports
- C. Remove the Storage Group
- D. Delete the Initiators

Correct Answer: C