Vendor:EMC

Exam Code:E20-340

Exam Name: Clariion solutiongs implementation

Version: Demo

QUESTION 1

What software is used to assign IP addresses when installing a new CLARiiON?

A. Unisphere Initialization Utility

B. Unisphere Server Utility

C. Unisphere Service Manager

D. Unisphere Client

Correct Answer: A

QUESTION 2

How many front-end ports are required to provide failover between SPs for eight direct-attached hosts on a CX4?

A. 16

B. 8

C. 4

D. 2

Correct Answer: A

QUESTION 3

What CLARiiON software controls visibility to LUNs in a CLARiiON storage system?

A. Access Logix

B. Volume Configuration Management

C. Storage group

D. PowerPath

Correct Answer: A

QUESTION 4

You are implementing Unisphere security on a CX4 CLARiiON with FLARE 30. The customer has requested that all certificates be validated when naviseccli is used.

What level of certificate validation does EMC recommend be set for naviseccli?

A. Medium

B. High

C. Low

D. Ignore

Correct Answer: A

QUESTION 5

Refer to the exhibit.



What is the correct order of the management module components?

A. A-GbE Service LAN; B-GbE Management LAN; C-Service Port COM1; D-SPS Port COM2; E- NMI Button

B. A-GbE Management LAN; B-GbE Service LAN; C-Service Port COM1; D-SPS Port COM2; E- NMI Button

C. A-SPS Port COM2; B-NMI Button; C-Service Port COM1; D-GbE Service LAN; E-GbE Management LAN

D. A-GbE Service LAN; B-GbE Management LAN; C-SPS Port COM2; D-Service Port COM1; E- NMI Button

Correct Answer: A

QUESTION 6

You have set up and are using ALUA and PowerPath with your CLARiiON CX4-480 array. You have just experienced a front-end path failure.

Which driver will route the I/O to the SP owning the LUNs through the CMI channel?

A. Upper redirector

B. CLARiiON Management Interface

C. ArrayCommPath

D. Channel redirector

Correct Answer: A

QUESTION 7

Which hardware component is used to offload iSCSI and TCP processing from the host CPU?

A. iSCSI host bus adapter (HBA)

B. Dual NICs

C. NIC TCP Off-load Engine (TOE)

D. NIC

Correct Answer: A

QUESTION 8

What does a security scope of 1 represent when used with naviseccli?

A. Local

B. Replication

C. Global

D. LDAP

Correct Answer: A

QUESTION 9

After installing an Emulex HBA, the customer would like to verify the correct driver version is configured on the HBA.

Which HBAnyware menu option will confirm this?

A. General

B. Firmware

C. Driver Parameters

D. Statistics

Correct Answer: A

QUESTION 10

A user creates a snapshot of a 400 GB source LUN with the Unisphere Snapshot Wizard. How many reserved LUNs, and what size, will be created by default?

A. Two reserved LUNs of 60 GB each

B. One reserved LUN of 80 GB

C. Two reserved LUNs of 40 GB each

D. One reserved LUN of 120 GB

Correct Answer: A

QUESTION 11

Refer to the exhibit.



Which port has a fixed IP and subnet mask?

A. A

B. B

C. C

D. D

E. E

Correct Answer: A

QUESTION 12

What does the acronym "CHAP" refer to?

A. Challenge Handshake Authentication Protocol

B. Challenge Handshake Authorization Protocol

C. CLARiiON Handshake Authentication Protocol

D. Consistent Host Application Protocol

Correct Answer: D