

**100%** Money Back  
**Guarantee**

**Vendor:**EMC

**Exam Code:**E20-357

**Exam Name:**Isilon Solutions Specialist Exam for  
Implementation Engineers

**Version:**Demo

### QUESTION 1

What is the recommended best practice when setting snapshot deletion schedules?

- A. Determined by your RTO and RPO SLAs
- B. Set to six times the length of the snapshot policy period
- C. Set to delete after the next snapshot is taken
- D. Set to one year after the snapshot is taken

Correct Answer: A

---

### QUESTION 2

Which identity type is an example of a primary identifier?

- A. SID
- B. MPIO
- C. Username
- D. PID

Correct Answer: A

---

### QUESTION 3

A customer requires data retention to meet governmental regulatory requirements. They have asked you to explain the EMC Isilon data retention offerings and how these offerings would meet their requirements.

What mechanism ensures that data is retained for the required retention period?

- A. Compliance clock
- B. System clock
- C. Autocommit period
- D. Minimum retention period

Correct Answer: A

---

### QUESTION 4

When configuring a DR cluster with SyncIQ, what should be considered with respect to SmartQuotas?

- A. Never set hard quotas on SyncIQ target directories
- B. Always set hard quotas on SyncIQ target directories
- C. Replicate SmartQuota settings on both source and target clusters
- D. If the target cluster is smaller, configure SmartQuotas to limit the SyncIQ target

Correct Answer: A

---

#### QUESTION 5

A customer has a 5-node cluster in which the SIP is answering DNS queries from node 1. If node 1 goes down, to which node, or LNN, would the SSIP service move?

- A. 2
- B. 3
- C. 4
- D. 5

Correct Answer: D

---

#### QUESTION 6

Which command(s) writes uncommitted data from NVRAM to disk on an EMC Isilon node?

- A. isi\_flush
- B. isi devices
- C. isi config >>> commit
- D. isi\_for\_array -s isi update

Correct Answer: A

---

#### QUESTION 7

After operating an EMC Isilon 3-node cluster for some time, a customer notices that the amount of storage used seems significantly larger than it should be. The filesystem has a tremendous amount of small (>> reboot

- B. Power cycle the node
- C. Run reboot from a shell
- D. Run halt from a shell

Correct Answer: A

---

**QUESTION 11**

What is a benefit of using access zones on an EMC Isilon cluster?

- A. Multi-tenancy
- B. All users can share data access
- C. Single tenancy
- D. All groups can share data access

Correct Answer: A

---

**QUESTION 12**

Which access layer determines the file system actions a user can take?

- A. Permissions
- B. Protocol
- C. Identity Assignment
- D. Authentication

Correct Answer: A