

**100%** Money Back  
**Guarantee**

**Vendor:**EMC

**Exam Code:**E22-258

**Exam Name:**XtremIO 3.x Flash Storage Solutions

**Version:**Demo

### QUESTION 1

A host with two HBAs is zoned to an XtremIO two X-Brick cluster through two FC switches. Which zone set meets the requirements for high availability?

A. Switch 1: HBA0 to X1-SC1-FC1, X1-SC2-FC1, X2-SC1-FC1, X2-SC2-FC1 Switch 2: HBA1 to X1-SC1FC2, X1-SC2-FC2, X2-SC1-FC2, X2-SC2-FC2

B. Switch 1: HBA0 to X1-SC1-FC1, X1-SC1-FC2, X2-SC1-FC1, X2-SC1-FC2 Switch 2: HBA1 to X1-SC2FC1, X1-SC2-FC2, X2-SC2-FC1, X2-SC2-FC2

C. Switch 1: HBA0 to X1-SC1-FC1, X1-SC1-FC2, X2-SC2-FC1, X2-SC2-FC2 Switch 2: HBA1 to X1-SC2FC1, X1-SC2-FC2, X2-SC1-FC1, X2-SC1-FC2

D. Switch 1: HBA0 to X1-SC2-FC1, X1-SC2-FC2, X2-SC1-FC1, X2-SC1-FC2 Switch 2: HBA1 to X1-SC1FC1, X1-SC1-FC2, X2-SC2-FC1, X2-SC2-FC2

Correct Answer: A

---

### QUESTION 2

Which RJ45 Ethernet interface should be used to initially configure an XtremIO storage controller?

A. RJ45 Ethernet interface 1

B. RJ45 Ethernet interface 2

C. RJ45 Ethernet interface 3

D. RJ45 Ethernet interface 4

Correct Answer: B

---

### QUESTION 3

Which document should be downloaded and completed to verify the customer's site meets the requirements for installing an XtremIO storage system?

A. XtremIO Storage Array Pre-installation Checklist

B. XtremIO Storage Array Hardware Installation and Upgrade Guide

C. XtremIO Storage Array Software Installation and Upgrade Guide

D. XtremIO Storage Array Installation Summary Form

Correct Answer: A

---

### QUESTION 4

Which NMP policy is recommended for XtremIO volumes assigned to VMware hosts?

- A. Round Robin
- B. Fixed Path
- C. Most Recently Used
- D. Least Recently Used

Correct Answer: A

---

#### **QUESTION 5**

Which three performance parameters can be monitored using the XtremIO GUI?

- A. Bandwidth, IOPS, Latency
- B. Bandwidth, IOPS, Utilization
- C. Utilization, IOPS, Service Time
- D. Latency, Bandwidth, Response Time

Correct Answer: A

---

#### **QUESTION 6**

On an XtremIO system, how many unit spaces are required for one X-Brick, including reserved space(s)?

- A. 6U
- B. 7U
- C. 8U
- D. 9U

Correct Answer: B

---

#### **QUESTION 7**

In an XtremIO environment, how many InfiniBand switches are configured in a quad X-Brick cluster?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: B

---

#### **QUESTION 8**

Which technology is used in the XtremIO Snapshot feature?

- A. Redirect on Write
- B. Copy on First Write
- C. Full data copy
- D. Full metadata copy

Correct Answer: A

---

#### **QUESTION 9**

Which parameter can be changed to improve performance on an XtremIO array?

- A. HBA execution throttle
- B. RAID level
- C. Cache size
- D. Target port affinity

Correct Answer: A

---

#### **QUESTION 10**

Which operating system and server type are required for installing the XMCLI client?

- A. CentOS 6.x, 64-bit, and either a physical or virtual server
- B. CentOS 6.x, 64 or 32-bit, and either a physical or virtual server
- C. CentOS 6.x, 64-bit, and physical server only
- D. CentOS 6.x, 64 or 32-bit, and virtual server only

Correct Answer: A

---

#### **QUESTION 11**

You have been asked to install an XtremIO dual X-Brick array. In which guide is the required network firewall information located to inform the customer?

- A. Site Preparation Guide
- B. Operations Guide
- C. Software Installation and Upgrade Guide
- D. Installation Summary Guide

Correct Answer: A

---

#### **QUESTION 12**

What is a characteristic of XtremIO iSCSI connectivity?

- A. Port 3260 must be used
- B. VLANs must be in the 0-127 range
- C. iSCSI ports must be on the management port subnet
- D. Only two iSCSI ports can be connected to a single host

Correct Answer: A