

**100%** Money Back  
**Guarantee**

**Vendor:**Hitachi

**Exam Code:**HH0-210

**Exam Name:**HDS Certified Implmenter-Enterprise

**Version:**Demo

**QUESTION 1**

A customer has virtualized a USP behind a VSP.

Which two actions can be performed by Universal Volume Manager? (Choose two.)

- A. configure load balancing by path group
- B. set the cache mode for the external volumes
- C. migrate USP volumes to the VSP
- D. expand external volumes

Correct Answer: AB

---

**QUESTION 2**

Which two components are part of the VSP HiStar-E architecture? (Choose two.)

- A. MCH
- B. BED
- C. HDD
- D. SVP

Correct Answer: AB

---

**QUESTION 3**

A customer wants to add a second DKC to a VSP.

Which three hardware features must be installed in the second DKC? (Choose three.)

- A. Hub
- B. VSD
- C. CMA
- D. ESW
- E. DKA

Correct Answer: ABD

---

**QUESTION 4**

A customer wants to suppress page migration for a certain Hitachi Dynamic Tiering volume on a VSP. How can this be done?

- A. by setting Multi-Tier Pool to Disable
- B. by setting Tier Management to Auto
- C. by setting Tier Relocation to Disable
- D. by setting the Cycle Time to 24 hours

Correct Answer: C

---

**QUESTION 5**

Which two statements describe the enhanced 3D Scaling terminology on the VSP? (Choose two.)

- A. "Scale Deep" describes Hitachi controller capability to virtualize external storage."
- B. "Scale Deep" describes how a VSP can grow to a two controller chassis configuration."
- C. "Scale Out" describes Hitachi controller capability to virtualize external storage."
- D. "Scale Out" describes how a VSP can grow to a two controller chassis configuration."

Correct Answer: AD

---

**QUESTION 6**

Which document is designed to assist those involved in the sale, installation and support of Hitachi Enterprise storage systems to ensure proper installation planning?

- A. the HiFire Pre-installation Report
- B. the System Administration Guide
- C. the HiPlan Service Guide
- D. the System Assurance Document

Correct Answer: D

---

**QUESTION 7**

A customer is using the Hitachi Command Suite for their VSP environment.

Which tab in the GUI provides the Hitachi Tiered Storage Manager volume migration functionality?

- A. the Analytics tab
- B. the Mobility tab
- C. the Migrator tab
- D. the Tiering tab

Correct Answer: B

---

#### **QUESTION 8**

A VSP customer is attaching new SUSE Linux servers to their SAN. What are two configuration requirements? (Choose two.)

- A. The queue depth per VSP LUN must not exceed 32.
- B. The queue depth per VSP LUN must be at least 8.
- C. The queue depth per VSP port must not exceed 2048.
- D. The queue depth per VSP port must not exceed 1024.

Correct Answer: AC

---

#### **QUESTION 9**

What is the benefit of installing an additional pair of disk adapters (DKA) on a VSP?

- A. It increases the total number of disk drives that can be installed.
- B. It allows intermix of 2,5" and 3,5" disk drives.
- C. It increases throughput on the existing SAS links.
- D. It increases the number of SAS links.

Correct Answer: D

---

#### **QUESTION 10**

What are two characteristics of the encryption feature on VSP systems? (Choose two.)

- A. No external appliances are needed.
- B. Encryption can be managed at the LDEV level.
- C. Encryption is performed in the disk drive (HDU).
- D. Encryption can be managed at the RAID Group level.

Correct Answer: AD

---

#### **QUESTION 11**

Which VSP component owns an LDEV?

- A. Front-end Director
- B. Virtual Storage Director
- C. Back-end Director
- D. Cache

Correct Answer: B

---

#### **QUESTION 12**

A customer wants to add a second DKC to a VSP.

Which three hardware features must be installed in the second DKC? (Choose three.)

- A. Hub
- B. VSD
- C. CMA
- D. ESW
- E. DKA

Correct Answer: ABD