Exam : HP0-781

Title : NonStop Performance

Analysis and Tuning

Version: Demo

1. Which product allows you to collect, measure, view, analyze and evaluate application service-level metrics?
A. ASAP
B. TPDC
C. PEEK
D. MEASURE Answer:A
2. Which embedded SQL/MP statement is used for performance data collection?
A. INCLUDE SQLCA
B. INCLUDE SQLSA
C. INCLUDE SQLDA
D. INCLUDE SQLSTATS Answer: B
3. When are the best times to take measurements of a system? Select TWO.
A. when another detailed measurement is active
B. continuously
B. continuously C. when the system is lightly loaded
C. when the system is lightly loaded
C. when the system is lightly loaded D. at peak time E. during database reorganization
C. when the system is lightly loaded D. at peak time E. during database reorganization Answer: BD 4. Which PATHCOM command displays statistical information for all TCPs in the RUNNING state for a
C. when the system is lightly loaded D. at peak time E. during database reorganization Answer: BD 4. Which PATHCOM command displays statistical information for all TCPs in the RUNNING state for a 10-minute interval?

D. STATS TCP *, STATE RUNNING, INTERVAL 10 MINS Answer: D
5. Which statistical information can be obtained in SQLCI?
A. disk reads, message count, lock waits
B. lock escalations, cash hit, records accessed
C. index level, records used, timeouts
D. disk open, message bytes, esp time Answer:A
6. Which Measure entities provide the data needed to determine a high level overview of the system over a 24-hour period?
A. CPU, PROCESS and DISC
B. CPU, PROCESS and DISKFILE
C. CPU, PROCESS and DISCOPEN
D. CPU, PROCESSH and DISC Answer:A
7. Performance has gradually worsened for an application that sequentially reads a frequently updated file (inserts, deletes & updates). What would you do to enhance the performance?
A. fup reload
B. create index
C. add partition
D. update statistics Answer:A
8. Which MEASURE entity can be used to implement transaction counting within an application process?
A. System
B. Process
C. Userdef

D. CPU

Answer: C

- 9. What is the best strategy to start measuring a system?
- A. Run PEEK at random intervals.
- B. Use VIEWSYS to monitor the system.
- C. Use VIEWPOINT to highlight thresholds.
- D. Perform a 24-hour measurement of the complete system.

Answer: D

- 10. What does ViewSys collect information about?
- A. Open Control Blocks (OCB) currently in use
- B. processor dispatch rate
- C. EXPAND line utilization
- D. records accessed/used for SQL SELECTS

Answer: B

11. A query accessing a file has recently suffered a significant performance degradation. What recommended action is required on the file?

Click the Exhibit button.

```
Data Chain Information:
                      100
Number of chains
Longest chain
                        2
Chain length histogram
                        0
                     100
2 -10
11 - 25
                        0
                        0
26 - 50
51 ?100
                        0
> 100
                        0
Avg blocks/chain
% of total blks in avg chain
       1%
```

A. The query needs recompilation.

- B. The file does not need a reload.
- C. The file needs a reload.
- D. The file needs update statistics.

Answer: C

12. What would you do to enhance performance of the following query? Click the Exhibit button and scroll through the query.

```
Operation 1.0
                  Scan
    Tabl.e
                          \SUNN!!'$CIASS1.SQLDB.!!I.IPLOYI!E
    Access t.}'IJie
                          lleoord locl<s, stabl.e access
    LoC"k ——
                          C>--an. bl' tha RJI'S'tam
    Co1urm. processing : Requires retrieval. of 6 out of 6 col.ums
      koess path 1
                          Primary, partitioned, sequential. cacbel
      SBB for reads
                          Virtual.
      Begin key pred.
                          None
      End key pred..
                          None
      Index sel.ectivi.t.y
                                 : E>9}ect to elaldne 100of row; fron t.abl.e
      Index pt:ed.
                          None
      Base tabl.e pred.: ll7ill. be eval.uated by the disk process
                                DEPt'NUM = 3600
      Pred. Sel.ectivi.ty
                                 : Ect
    lbcecutor p .-ed.
                          None
    Tabl.e sel.ectivity
                          Elp!ct to sel.ect 1.!!J05of rows from tab1e
    Dqtected. row count : ;!a6 1."0"8 Uter the scan
     erat.ion
                          848
  Total. oost
                          848
>.invoJte atpl.G.}'ee;
-- Definition of t.abl.e \SUNNY.$CLTtSS1SQLDB.EMPLmrEB
-- Defin:i.t.:i.em. ouaTCftt .2-t 09:-18:u - 11/08/01
  (
                           NUUEIUC( 6, 0) UNSIGNED NO DEPJWLT ICR NULL
    EMPNUI.!
                                                                   NO DEPJUJLT IDT NULL
                         CllliR(IS)
    I!J·RS'I'NIWI!
                                                                    )I) DEFAULT NOT IIULL
    J:AgfNJWI!
                          CHIUU20)
                          NIIIO!I!IC(4, 0) UNSIGNED
                                                           DEPJUJLT
    DEPrNW
                                                                             NULL
                           NUUEIUC(4, 0) UNSIGNED
                                                            DEFAULT
    .DIICODI!
                                                                              NULL
                      DliTB'I'DIE YEliB. TO FIIJICriDN(6) DEPIUJLT Sli'STB14
    U TINI!STJWP
$CLJISS1.SQLDB .EIIPL(JYJ!E
                                         8 Nov 2001, 9:54
    SOL BJISE TliBLE
    QTJU.OG $CIJ\SSI_SQLQT
    VI!RSION 2
    'IYPB K
    EOIWM1
    EXT ( 284 PAGI!5, 30 Pl'IGI!S, NliXI!XTI!NrS 160 )
    BEC 59
    PliClCBD BEC 58
    BLOCK 4096
    DY (COLtnJN 0, OFI!'SBT 0, LENGI'H 4, ASC)
    INDEX ( 1, $CLJISS1.SQLDB.XEI&PIIIWB,
             t.:ULUMN ;!, Ui!'J!s.ti'l' 1 , LIU\bullet I;1'K\;;!U,\; \bigstar ,
             COLVMN 1, OFI!'SBT 4, LENGnl 15, ASC,
             NOT 1JNIQUI! )
    PARr ( 0, $CIA5S1, 284 PJIGES, 30 PJIGBS, UlOO!JaENrS 160, I!IIRnT
                                                                                   1, 0)
    PARr (1, $CIA5S2,284 PJIGBS, 30 PJIGBS, UlOO!JaBNrS 160, I!IIRnT 1, 14521)
    IWDJ:T
    BUFI11!RI!D
    IWM'ICOUPUSS
    m7NI!a - 1
    SBCUBITY <Rt7BP): mm
    nm wmll: 12 11pr 2001, 18:u
    CBJmTmN DMB: 28 Feb 2001, 14:41
    BEDEnNrriON DJd'l!: 12:Apr 2011, 18:11
    IJIST OPEN:
                  8 Nov2001, 9:31
    BOF: 364544 (3.5'b USED)
    EXTBNrS liLLOClkt'ED: 1
    DIDBX LBVI!LS: 1
```

C. partition the table
D. create an index
Answer: D
13. Which information is provided by TRA?
A. cache hit rate
B. status of reload
C. average blocks per chain
D. whether or not to reload a file
Answer: C
14. Which RDF global parameter should be set to allow monitoring of an Updater's lag time?
A. UPDATERDELAY
B. UPDATERRTDWARNING
C. UPDATERTXTIME
D. UPDATEROPEN
Answer: B
15. Scenario: The Marketing Group is asking for a new feature to be added to the retail OLTP application
They would like to have an online query that would list the last 30 days of purchases for a given customer (credit card
number). The file that currently contains this information is Key-Sequenced and it is updated every time a purchase
is finalized.
The primary key for this file is system generated, the remaining data elements are: timestamp, credit card number, the
part number of the item being purchased, the price and the quantity purchased.
You have been asked to recommend the optimal way to access this data. Select ONE.

A. force VSBB

B. add more cash

A. Use the internal sort process and sort the file by the Timestamp

B. Create an Alternate Key file, using the Timestamp as Alternate Key value and accessing the file via the Alternate Key
C. Use the internal sort process and sort the file by the Credit Card Number
D. Create an Alternate Key file, using the Credit Card Number as Alternate Key value and accessing the file via the Alternate Key
Answer: D
16. Which method contributes to increased memory usage?
A. shared run time libraries
B. reusable program modules
C. reusable objects
D. program pairs Answer: D
17. What is the benefit of distributing processes across processors?
A. shorter path length
B. easier management of serverclasses
C. better load balancing
D. less use of memory resources Answer: C
18. Parallelism is a major performance feature exploited by
A. a NonStop process pair
B. an audited transaction
C. file partitioning
D. priority setting Answer: C
19. Which Pathway server class attribute directly controls the request queue?

- A. TIMEOUT
- **B. CHECKPOINT**
- C. MAXLINKS
- D. MAXSERVERS

Answer: C

- 20. During interpretation of a SCREEN COBOL program, the TCP is responsible for dynamically allocating and deallocating memory space for terminal and server I/O buffers. Which TCP attributes define the total space available for these buffers? Select TWO.
- A. MAXTERMDATA
- B. TERMPOOL
- C. TERMBUF
- D. MAXREPLY
- E. SERVERPOOL

Answer: BE

Trying our product!

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.