Vendor: Juniper

Exam Code:JN0-201

Exam Name: Juniper networks Certified internet associate.m(jncia-m)

Version: Demo

QUESTION 1

In the following output from a show bgp summary command: Peer AS InPkt OutPkt OutQ Flaps Last Up/Down ???? 192.168.16.1 65412 39 40 0 0 18:41 0/0/0 What do the last three numbers of 0/0/0 indicate?

A. Established/Received/Damped

B. Received/Active/Damped

C. Established/Active/Received

D. Active/Received/Damped

Correct Answer: D

QUESTION 2

Which two steps are required for RIP to redistribute OSPF routes? (Choose two.)

A. apply the redistribution policy to RIP as export

B. create a redistribution policy accepting the RIP routes

C. apply the redistribution policy to OSPF as export

D. apply the redistribution policy to OSPF as import

E. apply the redistribution policy to RIP as import

F. create a redistribution policy accepting the OSPF routes

Correct Answer: AF

QUESTION 3

On what destination port in the layer 4 header does BGP listen?

A. TCP port 179

B. UDP port 179

C. TCP port 169

D. UDP port 169

Correct Answer: A

QUESTION 4

What type of multicast distribution tree is created in both PIM-DM and PIM-SM?

A. shortest-path tree

B. core-based tree

C. root-based tree

D. receiver-based tree

Correct Answer: A

QUESTION 5

During initial traffic flow, which routers do dense mode multicast protocols assume want to receive multicast traffic?

A. only routers with receivers attached

B. all routers in the network

C. all routers along the shortest-path tree

D. only routers along the core based tree

Correct Answer: B

QUESTION 6

Which RIP message type is used to ask neighbors for updates?

A. Hello message

B. Query message

C. Response message

D. Request message

Correct Answer: D

QUESTION 7

A firewall filter is applied as an input filter on the lo0 interface. What two types of traffic will this action affect? (Choose two.)

A. OSPF hello packets

B. locally destined telnet sessions

C. transiting ICMP echo requests

D. inbound packets destined for a remote network

Correct Answer: AB

QUESTION 8

By default, which routing table is used to store unicast IPv4 routes?

A. inet.1

B. inet.3

C. inet.2

D. inet.0

Correct Answer: D

QUESTION 9

A failure of the internal flash will result in the JUNOS software loading from which device?

A. internal flash drive

B. removable media

C. LAN server

D. hard drive

Correct Answer: D

QUESTION 10

Which two statements are true concerning the JUNOS software? (Choose two.)

A. Processes may fail and cause a failure of the entire system.

B. Processes are fully independent from each other.

C. Processes run in a protected memory environment.

D. Processes are tightly integrated with each other.

Correct Answer: BC

QUESTION 11

What are three characteristics of RIP? (Choose three.)

A. uses Bellman-Ford algorithm

B. supports maximum allowable hop count of 15

C. uses hop count as the metric

D. sends updates only when a route metric changes

E. floods updates to all RIP routers in the network

Correct Answer: ABC

QUESTION 12

When is the default routing policy applied?

A. only if no policies have been applied

B. during the evaluation of every applied policy

C. prior to evaluating any applied policy

D. after all policies have been evaluated

Correct Answer: D