

100% Money Back
Guarantee

Vendor:Juniper

Exam Code:JN0-451

Exam Name:Mist AI - Specialist (JNCIS-MistAI)

Version:Demo

QUESTION 1

You are asked to forward event messages from Mist to an external log collector.

In this scenario, which feature would enable this capability?

- A. syslog
- B. webhooks
- C. NETCONF
- D. SNMP traps

Correct Answer: B

QUESTION 2

Which two terms correctly describe transmissions over Wi-Fi? (Choose two.)

- A. shared medium
- B. half-duplex
- C. full-duplex
- D. point-to-point medium

Correct Answer: AC

QUESTION 3

Which two authentication methods would be used with a guest portal? (Choose two.)

- A. social login
- B. external portal
- C. RSA
- D. Kerberos

Correct Answer: AB

QUESTION 4

Mist WLAN objects are configurable at which two levels? (Choose two.)

- A. site group

B. organization

C. site

D. access point

Correct Answer: CD

QUESTION 5

You are deploying multiple Mist APs across many sites in your network. You must ensure that you can group similar devices together to easily apply consistent WxLAN policies across multiple sites. Which configuration object should be used to accomplish this behavior?

A. organization labels

B. device profile

C. RF template

D. radio management

Correct Answer: A

QUESTION 6

Which two events are displayed under the Client Events area found on the Insights page? (Choose two.)

A. Reassociation

B. Restart by User

C. Reflection (Loop Detection)

D. DHCP Denied

Correct Answer: AD

QUESTION 7

When does a Mist AP actually begin transmitting BLE?

A. When it is claimed and placed on a site.

B. When it is placed on a floor plan.

C. When BLE is enabled at the Organization level.

D. When BLE is enabled for the AP.

Correct Answer: D

Reference: <https://www.mist.com/documentation/ble-mac-randomization/>

QUESTION 8

Which Wireless Assurance SLE provides information on Opportunistic Key Caching (OKC)?

- A. Time to Connect
- B. Roaming
- C. Coverage
- D. Capacity

Correct Answer: B

Reference: <https://www.mist.com/documentation/service-level-expectations-sle/>

QUESTION 9

Click the Exhibit button.

Name	Access	Site Access
Post-Install	Observer	All Sites

Referring to the exhibit, which statement is correct about the Post-Install user's role?

- A. It is used for help desk monitoring and workflow for all sites.
- B. It has access limited to installing APs and switches at all sites.
- C. It has read-only access to all sites.

D. It has full access to all sites.

Correct Answer: B

QUESTION 10

Some users cannot connect to the network. You want to identify these users. In Marvis, which query accomplishes this task?

A. troubleshoot access points

B. unhappy clients

C. troubleshoot clients

D. list clients

Correct Answer: D

Reference: <https://www.mist.com/documentation/useful-marvis-queries/>

QUESTION 11

What is the impact of adding more SSIDs to a radio?

A. beacon overhead

B. less secure

C. less BSSIDs reserved for a mesh network

D. channel overlap

Correct Answer: D

QUESTION 12

In which two layers of the OSI model are WLANs located? (Choose two.)

A. Network

B. Transport

C. Physical

D. Data Link

Correct Answer: CD

Reference: <https://www.controleng.com/articles/wi-fi-and-the-osi-model/>

