

Vendor: IBM

Exam Code: P2090-047

Exam Name:IBM PureData System for Transactions

Technical Mastery Test v1

Version: Demo

QUESTION 1

ne primary				

A. 1.

B. 2.

C. 4.

D. 12.

Correct Answer: A

QUESTION 2

What is the maximum number of columns that can participate in a distribution key?

A. One

B. Four

C. Unlimited

D. Depends on the number of columns of integer datatype.

Correct Answer: B

QUESTION 3

Which statement about the GROOM TABLE feature is true?

- A. GROOM TABLE requires space to make a complete copy of the table.
- B. GROOM TABLE only operates on tables that include an ORGANIZE ON clause.
- C. GROOM TABLE prevents nzload from adding data while groom is in progress.
- D. GROOM TABLE allows UPDATE, DELETE, and INSERT operations to occur while groom is in progress.

Correct Answer: D

QUESTION 4

Which statement is true about data flowing in/out of the PureData System for Analytics Appliance?

- A. Bypasses the host.
- B. Flows through the host.

- C. Compressed on the host.
- D. Uncompressed on the host.

Correct Answer: B

QUESTION 5

A stored procedure returning one value is created, which two methods can be used to execute the procedure? (Choose two.)

- A. Using the EXECUTE command.
- B. Using the SELECT statement within a FROM clause.
- C. Using the SELECT statement within a HAVING clause.
- D. Using the SELECT statement without a FROM clause.
- E. Using the SELECT statement with tables in the FROM clause.

Correct Answer: AD

QUESTION 6

Which of the following is a valid datatype definition?

- A. TEXT
- B. CLOB
- C. CHAR(64000)
- D. NUMERIC(1,38)

Correct Answer: C

QUESTION 7

Which statement is true regarding any database user?

- A. The user has a table space defined.
- B. The user can be assigned to more than one group.
- C. The user must have a corresponding host account.
- D. The user can be removed from the default PUBLIC group.

Correct Answer: B

QUESTION 8

When creating a table, you can specify a column constraint for each individual column of either "NULL" or "NOT NULL". When column values are later evaluated within a query statement, which of these is true?

- A. 0 is equal to null, the empty string ($\$ '\'\') is equal to null.
- B. 0 is equal to null, the empty string (\\"\\") is not equal to null.
- C. 0 is not equal to null, the empty string ($\$ '\') is equal to null.
- D. 0 is not equal to null, the empty string (\\'\\') is not equal to null.

Correct Answer: D

QUESTION 9

What function can nzbackup perform?

- A. Back up pg.log files.
- B. Back up TEMP tables.
- C. Back up host data (catalog metadata).
- D. Back up the data using the specified number of streams.

Correct Answer: D

QUESTION 10

Which is NOT a function of the Field Programmable Gate Arrays (FPGA) residing on the Netezza Database Accelerator card?

- A. Projects
- B. Restricts
- C. Aggregates
- D. Decompresses

Correct Answer: C

QUESTION 11

Which statement is true about a simple load using external tables?

A. The load can be configured to automatically continue to load if the S-Blade resets or fails.

- B. The load can be configured to automatically create a backup file of the table being loaded.
- C. The load can be configured to automatically create a duplicate copy of the table being loaded.
- D. The load can be configured to automatically remove duplicate rows from the table being loaded.

Correct Answer: A

QUESTION 12

When are zonemaps initially created for a table?

- A. nzbackup
- B. nzreclaim
- C. CREATE TABLE
- D. ALTER TABLE ADD ZONEMAPS

Correct Answer: C