Vendor: Tibco

Exam Code: TB0-111

Exam Name: TIBCO Rendezvous 8 Exam

Version: Demo

QUESTION 1
The following is the declaration of secure daemon in Rendezvous C API: tibrv_status
tibrvSecureDaemon_SetUserCertWithKey(const char* userCertWithKey, const char* password); Which
two statements are correct about this function? (Choose two.)

A. The password parameter is used to decrypt the private key.
B. The password parameter is used for the password for this user.
C. The userCertWithKey parameter is used to register user certificate with a private key. The text of this
   certificate must be in PEM encoding.
D. The userCertWithKey parameter is used to register user certificate with a private key. The text of this
   certificate may be in PEM or PK12 encoding.

Correct Answer: AC

QUESTION 2
Which statement is correct about Rendezvous fault-tolerant groups (RVFTs)?

A. RVFT is an election protocol that tells an application when it is active or inactive.
B. RVFT can only be utilized for message producers, not for message consumers.
C. For reliable consumers bound to an RVFT transport, the RVFT transport automatically disables
   subscriptions if the fault-tolerant group member becomes inactive.
D. For certified consumers bound to an RVFT transport, the RVFT transport automatically confirms
   messages if the fault-tolerant group member becomes inactive.
E. For certified consumers bound to an RVFT transport, the RVFT transport automatically cancels the
   certified agreement if the fault-tolerant group member becomes inactive.

Correct Answer: A

QUESTION 3
Which advisory message does a Rendezvous fault-tolerant member present when other group members
use parameters that do not match its corresponding parameters?

A. _RV.ERROR.RVFT.PARAM_MISMATCH.group
B. _RV.ERROR.RVFT.PARAM_COLLISION.group
C. _RV.ERROR.RVFT.MEMBER_UNAVAILABLE.group
D. _RV.ERROR.RVFT.MEMBER_PARAM_MISMATCH.group

Correct Answer: A

QUESTION 4
Which three activities can be configured through the Rendezvous routing daemon (RVRD) HTTP interface
to be routinely output to the RVRD log file? (Choose three.)

A. Subject Data: to log all messages that this routing daemon forwards to its neighbors or receives from
   its neighbors
B. Connections: to log connection activity whenever this routing daemon establishes or closes a
   connection to a neighbor
C. Client: to log RVRD local client connection activity whenever a client application establishes or closes a
   connection to the routing daemon
D. Subject interest: to log all subscription requests (notification of listening) that this routing daemon sends
   to its neighbors or receives from its neighbors
E. Remote: to log RVRD remote client connection activity whenever a remote client application
   establishes or closes a connection to the routing daemon

Correct Answer: ABD

QUESTION 5

Which two situations can trigger the presentation of a SCHEDULER.OVERFLOW advisory? (Choose two.)

A. Scheduler has set a task backlog limit.
B. Scheduler has not set a task backlog limit.
C. Scheduler is accepting new tasks, but discarding old ones on a FIFO basis.
D. The Scheduler backlog limit has been reached and new tasks are being discarded.

Correct Answer: AD

QUESTION 6
With TIBCO Rendezvous messaging, which networking protocol does the client application use to connect to the Rendezvous daemon (RVD)?

A. SSL
B. TCP
C. UDP
D. HTTP

Correct Answer: D

QUESTION 7
Which two statement are correct about certified delivery confirmation? (Choose two.)

A. Explicit confirmation of message delivery by the listening program is the default behavior.
B. When confirmation reaches the certified sender, the transport presents a DELIVERY.CONFIRM advisory.
C. Automatic confirmation of message delivery upon return from the callback function is the default behavior.
D. When confirmation reaches the certified listener, the transport presents a DELIVERY.CONFIRM advisory.
E. When confirmation reaches the certified sender, the transport presents a DELIVERY.COMPLETE advisory.

Correct Answer: BC

QUESTION 8
When programming a TIBCO Rendezvous fault-tolerant application, it is a documented best practice to associate fault-tolerant member events with _____.

A. a low-priority queue
B. a high-priority queue
C. a system event queue
D. the default event queue

Correct Answer: B

QUESTION 9
You plan to test a network to ensure that it meets the following requirements: 100,000 point-to-point messages to be published by a single source in batch mode with ten messages per batch with an interval gap of 10 milliseconds. What is the correct rvperfm command to start a test run?

A. rvperfm -service 7501 -daemon 7500 -inbox -messages 100000 -interval 10 -batch 10
B. rvperfm -service 7500 -daemon 7500 -inbox -messages 100000 -interval 0.01 -batch 10
C. rvperfm -service 7500 -daemon 7500 -subject PTP -messages 100000 -interval 10 -batch 10
D. rvperfm -service 7501 -daemon 7500 -subject _INBOX -messages 100000 -interval 10 -batch 10
E. rvperfm -service 7501 -daemon 7500 -subject _PTP -messages 100000 -interval 0.01 -batch 10

Correct Answer: B

QUESTION 10
Click the Exhibit button.

Which menu option shown in the exhibit is used for setting the default service and network for Rendezvous secure daemons (RVSDs)?

A. Users
B. Services
C. XML Configuration
D. Daemon Parameters
E. Networks and Services

Correct Answer: D

QUESTION 11
tibrvlisten is started with the following settings: -network ";224.2.2.2;224.6.6.6" "mytest" tibrvsend is started with the following settings: -network ";224.6.6.6;224.2.2.2" "mytest". "message #1" What is the expected result?

A. The listener receives "message #1" only when run on a different host than the sender.
B. The listener does not receive "message #1" when run on a different host than the sender.
C. The listener will receive the message only if both the listener and sender run on the same host.
D. The listener will receive the message only if both the listener and sender connect remotely to the same daemon.

Correct Answer: A

QUESTION 12
Your back-end processing supports multi-threading and you plan to leverage this capability in the context of a Rendezvous distributed queue (RVCMQ) subscriber by running five concurrent threads.
Which statement is correct?

A. RVCMQ scales by multiple program instances (horizontally), not by multi-threading (vertically).
B. Each distributed queue member receives as many messages as specified by the scheduler

configuration (the scheduler tasks parameter must be set to 5 or greater).

C. Each distributed queue member receives as many messages as specified by the worker tasks parameter (the worker tasks parameter of each queue member must be equal to or greater than 5).

D. Each distributed queue member receives as many messages as it dispatches (nothing needs to be done from a RVCMQ standpoint as it is a matter of the multi-threaded message dispatching).

Correct Answer: C

QUESTION 13
A publisher application uses a transport with UDP port number 8600 and multicast group 239.1.1.1. Which two sets of transport parameters enable a subscriber application to receive messages from the publisher? (Choose two.)

A. Service 6800, Network ";239.1.1.0;239.1.1.1"
B. Service 8600, Network ";239.1.1.0;239.1.1.1"
C. Service 8600, Network ";239.1.1.1,239.1.1.0"
D. Service 8600, Network ";239.1.1.0,239.1.1.1;239.1.1.1"

Correct Answer: CD

QUESTION 14
Which statement is correct about the _RV.INFO.RVCM.DELIVERY.CONFIRM.subject advisory?

A. A listener sends this advisory to confirm receipt of a certified message.
B. The sender presents this advisory after deleting the message from its ledger.
C. A sender presents this advisory whenever a registered listener confirms receipt of a certified message.
D. A sender presents this advisory when all registered listeners have either confirmed delivery of a certified message, or canceled interest in receiving it.

Correct Answer: B

QUESTION 15
Which two statements are correct about fault-tolerant groups? (Choose two.)

A. Members of a fault-tolerant group are ranked by means of the specified member weight.
B. Fault-tolerant groups implement a K of N active strategy (K member of a group is active while N-K members are passive).
C. Members of a fault-tolerant group are ranked by means of the specified member weight, which must be a unique value within the fault-tolerant group.
D. Members of a fault-tolerant group are ranked by means of the specified member weight. Members with equal weight are ranked by the time they joined the fault-tolerant group.
E. The members of a fault-tolerant group are ranked by means of the specified member weight. Members with equal weight are ranked by non-deterministic means opaque to programs.

Correct Answer: BE

QUESTION 16
Where is the Rendezvous license ticket file located?

A. It can be in any directory in the classpath.
B. It can be in any directory in the execution path.
C. It must be in the Rendezvous Home/lib directory.
D. It must be in the Rendezvous Home/bin directory.

Correct Answer: A

QUESTION 17
Company A will deploy their Rendezvous applications to their production environment. They need to run

five RVDs, two RVRDs, one RVA, and one RVTRACE utility on one particular host. How many ticket files (tibrv.tkt) are needed on the host?

A. one
B. seven
C. eight
D. nine
E. four

Correct Answer: A

QUESTION 18
In TIBCO Rendezvous, a control channel is used for communication between _____.

A. Rendezvous daemons and client processes
B. Rendezvous daemons and browser interface
C. Rendezvous managed daemons and Rendezvous non-managed daemons
D. Rendezvous Daemon Manager (RVDM) and Rendezvous managed daemons

Correct Answer: D

QUESTION 19
Queue dispatch calls remove the event at the head of a queue, and run its callback function. What is the correct behavior for the three types of dispatch calls in situations where the queue is empty? (Choose three.)

A. Ordinary dispatch blocks indefinitely, until the queue contains an event.
B. Polling dispatch does not block. If the queue is empty, it returns immediately.
C. Timed dispatch does not block for an event, but keeps on polling periodically.
D. Ordinary dispatch blocks for the timeout value, until the queue contains an event.
E. Polling dispatch blocks waiting for an event. If the queue is empty, it returns immediately.
F. Timed dispatch blocks waiting for an event, but returns without dispatching anything if a waiting time limit is exceeded.

Correct Answer: ABF

QUESTION 20
For Rendezvous secure daemon (RVSD), subject access can be restricted to specific users. Where on the RVSD browser interface is this feature configured?

A. on the User's page
B. on the Subject Access page
C. on the Limiting Access page
D. on the Authorize Subjects page

Correct Answer: C

QUESTION 21
Which three statements are correct about TIBCO Rendezvous reliable messaging? (Choose three.)

A. It supports 1:N communication, which is based on UDP.
B. It supports 1:1 as well as 1:N communication, both are based on UDP.
C. It supports 1:1 communication, but only if a virtual circuit is established.
D. It supports 1:1 communication, but only if a direct communication is established.
E. Direct communication is an improved protocol for point-to-point traffic that bypasses the Rendezvous daemon (RVD) and is based on TCP.
F. Direct communication is an improved protocol for point-to-point traffic that bypasses the Rendezvous

daemon (RVD) and is based on UDP.

Correct Answer: ABF

QUESTION 22
Which statement is correct about the distributed queue scheduler?

A. The distributed queue members do not elect the scheduler; you need to explicitly start the scheduler module.
B. The distributed queue does not have a scheduler and the work is split based on the module of the certified messaging sequence number.
C. The distributed queue members elect the scheduler based on current work load (i.e. the member with the least work is elected as scheduler).
D. The distributed queue members elect the scheduler based on the scheduler weight (i.e. the member with the highest rank is elected to become scheduler).
E. The distributed queue members process the same message (i.e. a distributed queue is used when a message must processed by all receiving applications).

Correct Answer: B

QUESTION 23
Which advisory message contains the daemon's HTTP port?

A. _RV.INFO.SYSTEM.HTTP.STATUS
B. _RV.INFO.SYSTEM.HOST.STATUS
C. _RV.INFO.SYSTEM.RVD.STATUS
D. _RV.INFO.SYSTEM.PORT.STATUS
E. _RV.INFO.SYSTEM.ADMIN.STATUS

Correct Answer: B

QUESTION 24
How does Rendezvous Daemon Manager (RVDM) manage network topology? (Choose two.)

A. The port map globally overrides service port specifications of application transports.
B. A remote daemon map gracefully shuts down a particular daemon that is chronically lossy.
C. A network map instructs managed daemons to sort and separate message traffic on a specific network on a multi-homed machine.
D. A subject map instructs managed daemons to sort and separate message traffic on a specific Rendezvous service into multicast groups.

Correct Answer: AD

QUESTION 25
Given the following Rendezvous daemon (RVD) advisory message:
_RV.WARN.SYSTEM.CLIENT.FASTPRODUCER Which two statements are potential causes? (Choose two.)

A. The RVD is starved of CPU cycles.
B. Some data were discarded by the RVD.
C. A sending client produces data faster than the network can distribute it.
D. The RVD leaves an outbound message waiting in the client program for more than 60 seconds.
E. A producer's send call is blocked until the RVD can accept messages to place them on the network.

Correct Answer: BE

QUESTION 26
Which three statements are correct about the Rendezvous reliable delivery (TRDP) protocol? (Choose

To Read the **Whole Q&As**, please purchase the **Complete Version** from **Our website**.

Trying our product !

★ **100%** Guaranteed Success

★ **100%** Money Back Guarantee

★ **365 Days** Free Update

★ **Instant Download** After Purchase

★ **24x7** Customer Support

★ Average **99.9%** Success Rate

★ More than **69,000** Satisfied Customers Worldwide

★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:

One Year Free Update
Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.

Money Back Guarantee
To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.

Security & Privacy
We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.