

**100%** Money Back  
**Guarantee**

**Vendor:**Veritas

**Exam Code:**VCS-254

**Exam Name:**Administration of Veritas Cluster Server  
6.1 for UNIX

**Version:**Demo

### QUESTION 1

Given a service group where FailOverPolicy=Load, which system attribute does HAD use to determine the failover target?

- A. Capacity
- B. Load
- C. Prerequisites
- D. AvailableCapacity

Correct Answer: D

---

### QUESTION 2

The cluster has a service group with a particular functionality. There is a need for an additional service group that has very similar functionality.

How can you create this new service group in a running cluster?

- A. Edit the VCS simulator's main.cmd file and import it into the running cluster
- B. Copy the resources into a new service group using the VCS java GUI
- C. Copy the service group using the VCS java GUI
- D. Run hacf -verify and paste the new service group into the cluster's main.cf

Correct Answer: B

---

### QUESTION 3

A power problem caused all nodes in the cluster to crash. One node has failed to reboot, and smoke is coming from the power supply. The administrator runs gabconfig -a and notices that port a has two of three nodes registered.

What should the administrator do to start Veritas Cluster Server on the running nodes?

- A. edit /etc/littab and change the -n3 option to -x
- B. run hasys -force on one of the nodes to force HAD to start
- C. run gabconfig -cx on both of the running nodes
- D. run gabconfig -cx on one of the running nodes

Correct Answer: D

---

#### QUESTION 4

The failover service group websp is online when it is frozen persistently. The cluster is stopped by running the command `hastop -all -force`.

What happens to the websp service group after all of the systems have the cluster started?

- A. websp remains ONLINE in the cluster.
- B. websp remains OFFLINE in the cluster.
- C. websp is AUTODISABLE on all systems in the cluster.
- D. websp starts to ONLINE on the first system listed in its AutoStart list.

Correct Answer: A

---

#### QUESTION 5

The VCS notifier was configured during VCS installation. Which type of resource is configured in order to start the notification process?

- A. NotifierAgent
- B. Notifier
- C. NotifierMngr
- D. Application

Correct Answer: C

---

#### QUESTION 6

Refer to the exhibit.

## GAB status and membership notation

```
# gabconfig -a
GAB Port Memberships
=====
Port a gen f7c001 membership 01 ; ;12
Port b gen f7c004 membership 01 ; ;12
Port h gen f7c002 membership 01 ; ;12
```

How many servers are seeded in the GAB port membership?

- A. The GAB port membership has two nodes: 01 and 12.
- B. The GAB port membership has three nodes: 0, 1, and 12.
- C. The GAB port membership has three nodes: 0, 1, and 21.
- D. The GAB port membership has four nodes: 0, 1, 21, and 22.

Correct Answer: D

---

### QUESTION 7

During a test of a NIC resource the VCS engine log indicates that the service group and the IP resource enter the FAULTED state on all systems in the cluster. The NIC resource enters the ONLINE state after the root cause of the fault is corrected. Which default attribute setting allows the service group to attempt to start without manual intervention?

- A. AutoStart
- B. AutoClear
- C. AutoRestart
- D. AutoFailover

Correct Answer: C

---

### QUESTION 8

Which triggers require additional configuration at the service group level to be enabled? (Choose two.)

- A. PreOnline
- B. PostOnline

- C. PostOffline
- D. ResStateChange
- E. LoadWarning

Correct Answer: AD

---

#### **QUESTION 9**

If the hostname is changed in the sysname file, which three additional files must be modified? (Select three.)

- A. llthosts
- B. gabtab
- C. llttab
- D. main.cf
- E. types.cf

Correct Answer: ACD

---

#### **QUESTION 10**

On a cluster, what does the following command display?

Hares -display -ovalues

- A. all online resource attributes
- B. all overridden resource attributes
- C. all uncommitted resource attributes
- D. all default resource attributes

Correct Answer: B

---

#### **QUESTION 11**

When preparing to install Veritas Cluster Server (VCS) on systems S1 and S2, which three methods can be used to verify software compatibility? (Select three.)

- A. check the VCS release notes for supported software
- B. run the `installvcs -precheck S1 S2` command
- C. run the `installvcs -check S1 S2` command

D. run the `installvcs -compat S1 S2` command

E. check the Symantec Enterprise Support website

Correct Answer: ABE

---

#### **QUESTION 12**

Which two options can be used to install Veritas Cluster Server on remote systems using the provided install script?  
(Select two.)

A. rdc

B. rcp

C. rsh

D. ssl

E. ssh

Correct Answer: BD